



## FULLY-INTEGRATED MOTORHOMES



Configure your perfect motorhome: [configurator.knaus.com/int](https://configurator.knaus.com/int)

## TECHNICAL SPECIFICATIONS 2023-2

VAN | LIVE | SUN |  
EN | INT

**KNAUS**  
FREIHEIT, DIE BEWEGT.



# LAYOUTS 2023

Fully-integrated



page 5

## VANI

*The compact one*



VANI 550 MF



VANI 650 MEG


page 12

## L!VE I

*The striking one*



L!VE I 650 MEG



L!VE I 700 MEG




L!VE I 900 LEG

page 21

## SUN I

*The exclusive one*



SUN I 700 LEG



SUN I 900 LEG



SUN I 900 LX

**Illustrations without engagement:** All the illustrations shown here are schematic representations without engagement. The actual vehicle and equipment features may differ from the layout examples. Certain vehicle and equipment features are not granted by the illustrations and cannot be acquired as basis/standard equipment/are not included in the Standard equipment. Therefore, please make sure to contact your dealer about the specific features and the selected equipment of your chosen vehicle before purchasing it.



Configure your perfect motorhome: [configurator.knaus.com/int](https://configurator.knaus.com/int)

**Every vehicle is only road-legal up to a specified maximum weight. This maximum weight must not be exceeded when driving. For this reason, the technical and legal requirements regarding the weight of your vehicle must be given special consideration when selecting additional equipment (“packages”, “equipment features” and “options”) from our factory range when configuring your vehicle.**

**The legal requirements with regard to the weight of your vehicle are set out in Commission Implementing Regulation (EU) 2021/535 of 31 March 2021 (before 06/2022: Commission Regulation (EU) No. 1230/2012 of 12 December 2012). In order to inform you as transparently and comprehensively as possible about the weight-related provided during vehicle configuration, the following explanations and notes from Knaus Tabbert AG are based on the requirements set out in this Regulation. Please read the following explanations and notes on this weight-related information carefully before configuring and ordering your vehicle. Our authorised dealers will also be happy to assist you with the selection and configuration of your vehicle.**

## I. TERMINOLOGY

### 1. Maximum gross vehicle mass in kg

The “maximum gross vehicle mass” is entered in Part I (section F.1.) of the registration certificate and refers to the maximum permissible laden mass of your vehicle, as specified by the manufacturer (e.g. 3,500 kg). This must not be exceeded while driving. Exceeding the maximum gross vehicle mass is punishable by fines in many European countries. In Germany, exceeding the maximum gross vehicle mass while driving may constitute an administrative offence and be punishable by a fine. We therefore recommend that you weigh your vehicle before each journey and check that your vehicle does not exceed the maximum gross vehicle mass. Compliance with the maximum gross vehicle mass is your responsibility.

The maximum gross vehicle mass for each layout is shown in the technical specifications.

### 2. Vehicle mass in running order

The “mass in running order” means the mass of the vehicle including the body structure and standard factory equipment (“basic equipment” or “standard equipment”) including the fuel tank filled to 90% of its capacity as well as operating materials such as lubricants, oils and coolants, tools and tyre puncture assistance plus the mass of the driver, which is calculated as a fixed weight of 75 kg by law.

The mass in running order for each layout is shown in the technical specifications.

The following are included in the mass in running order:

- The unladen weight of the vehicle including bodywork, operating fluids

such as greases, oils and coolants, tools and tyre puncture repair kit

- The standard factory equipment; i.e. the basic configuration of a vehicle equipped with all the features required by law, including any fitted equipment that does not require further specifications at the configuration or equipment level
- The fresh water tank filled to 100% in driving mode (the capacity of the fresh water tank is limited to 10, 20 or 40 litres depending on the vehicle model in driving mode) and an aluminium gas bottle filled to 100% with a weight of 16 kg
- The fuel tank when 90% full, including the fuel
- The driver, whose weight is calculated as a fixed value of 75 kg

**Please note that the figures on the mass in running order are calculated nominal values which are subject to production-related tolerances of up to ± 5%. These legally permissible tolerances may have a direct effect on the actual mass of your vehicle and thus also on the payload or remaining pay-mass. Therefore, you will need to take these tolerances into account when configuring your vehicle.**

### 3. Actual vehicle mass

The “actual vehicle mass” means the mass of the vehicle in running order, plus the mass of any factory-fitted optional equipment on a particular vehicle.

### 4. The mass of the driver and the mass of the passengers

The “driver mass” is calculated as a fixed weight of 75 kg, regardless of the driver’s actual weight. Since the mass of the driver is already included in the mass in running order, it is not included in the authorised passenger mass.

The “passenger mass” is based on the maximum permissible number of vehicle occupants while driving, as specified by the manufacturer and determined during the type-approval procedure, minus the driver mass, which is calculated as a fixed weight of 75 kg.

For each layout, the permissible number of occupants while driving is shown in the technical specifications. The permissible number of occupants while driving may be reduced due to the installation of additional equipment.

The passenger mass is also calculated as a fixed weight of 75 kg per passenger, regardless of their actual weight. Thus, for a vehicle with a maximum permissible number of occupants while driving of 4, the passenger mass is 225 kg (3\*75 kg).

### 5. Standard equipment and additional equipment

The “standard specification” (“basic equipment” or “standard equipment”) means the basic configuration of a vehicle that is equipped with all the features required by law, including any fitted equipment that does not require further specifications at the level of configuration or equipment.

Details of the standard specification („basic equipment“ or „standard equipment“) are shown for the selected layout during the subsequent configuration process.

“Additional equipment” (“packages”, “features” and “options”) means any equipment not included in the standard specification that is factory fitted to the vehicle by the manufacturer and can be ordered by the customer. Additional equipment in this sense does not include other accessories which are installed in the vehicle by you or your dealer after delivery of the vehicle by the manufacturer.

Details of the (equipment) packages, features and options that can be ordered at the factory are shown for the selected layout during the subsequent configuration process.

Please note that the installation of additional equipment always results in a reduced pay-mass (see section 6). The maximum mass of additional equipment that can be selected for each layout can be found in the information on the respective vehicle layouts (see section 7).

### 6. The pay-mass and the minimum pay-mass

The “pay-mass” is calculated by subtracting the mass in running order, the passenger mass and the maximum mass of the optional equipment specified by the manufacturer from the maximum gross vehicle mass.

European legislation prescribes a fixed “minimum pay-mass” for motorhomes, which must be observed with regard to luggage and other accessories not installed by the manufacturer. This must be observed when configuring your vehicle and is calculated using the following formula:

$$\text{Minimum pay-mass in kg} \geq 10^* (n + L)$$

Where “n” is the maximum number of passengers plus the driver and “L” is the overall length of the vehicle in metres.

### 7. Maximum mass of the additional equipment

To ensure compliance with the legally prescribed minimum pay-mass, the “maximum mass of the additional equipment” is specified by the manufacturer for each layout. Therefore, this is the maximum permissible mass of any factory-fitted optional extras (“packages”, “features” and “options”) in order to ensure compliance with the minimum pay-mass required by law.

Knaus Tabbert AG calculates the maximum mass of the additional equipment by subtracting the mass in running order, the passenger mass and the minimum pay-mass from the maximum gross vehicle mass.


#### Example:

3,500 kg	Maximum gross vehicle mass
- 2,968 kg	Mass in running order
- 3*75 kg	Passenger mass
- 110 kg	Minimum pay-mass
= 197 kg	Maximum mass additional equipment



# VAN I

## Technical specifications



Technical specifications	550 MF	650 MEG
<b>BASE VEHICLE</b>		
<b>FIAT Ducato 3.500 kg***; 2.2 l 140 Multijet; front-wheel drive; Euro 6d-Final (103 kW / 140 HP); 6-speed manual gearbox (Dependency: ABH18977)</b>	s	s
<b>BASIC EQUIPMENT</b>		
Total length (cm)	599	696
Width (outside) (cm)	220	220
Width (inside) (cm)	205	205
Height (outside) (cm)	276	276
Height (inside) (cm)	196	196
Mass in running order (basic model without optional equipment but with basic equipment) (kg) (Note: H140)	2.785 (2.646 - 2.924)	2.955 (2.807 - 3.103)
Technically maximum authorised laden mass (kg)***	3.500	3.500
Maximum payload (kg)	390	210
Towing load (kg) (Note: H722)	2.000	2.000
Wheelbase (cm)	345	380
Number of persons allowed in driving operation	4	4
Beds (Note: H141)	4	5
Max. number of beds (Note: H142)	4	5
Automatic three-point belts	2	2
Max. belt-secured seats	4	4

### Important information

When selecting and configuring your vehicle, please note that any factory-fitted additional equipment will increase the actual weight of the vehicle and reduce the payload. The weight of the additional equipment ('packages', 'features' and 'options') stated on the following pages is the additional weight compared to the standard equipment for the respective layouts. The total weight of the configured additional equipment must not exceed the maximum weight of additional equipment specified by the manufacturer in their technical specifications. This value is calculated for each layout and used by Knaus Tabbert AG, as the manufacturer, to determine the maximum weight available for factory-fitted additional equipment.

The 'weight in road-worthy condition' stated in the technical specifications is a calculated nominal value which is subject to production-related fluctuations of up to  $\pm 5\%$ . These production-related tolerances of up to  $\pm 5\%$  are legally permissible and are shown separately in the technical specifications, after the calculated value. Since these legally permissible tolerances have a direct effect on the actual weight of your vehicle and thus also on the maximum weight of additional equipment, you must take them into account when configuring your vehicle.

The maximum weight of additional equipment specified by the manufacturer is intended to ensure that the legally prescribed 'minimum payload' is actually available for luggage and other accessories after delivery of the vehicle by the manufacturer. If, due to the selection of additional equipment, the actual weight of the vehicle increases to such an extent that, by calculating the difference between the actual vehicle weight and the technically permissible maximum weight, there is no longer sufficient payload capacity to carry the permitted number of passengers and the minimum payload, then (dependent on layout) you have a number of options in the configuration tool. In order to continue with the configuration, you may select an increase in vehicle load capacity, reduce the permitted number of seats when driving and/or deselect additional equipment. If this does not happen, you will be unable to continue configuring and therefore also ordering your vehicle. Detailed technical and legal information about vehicle weights is available from page 31 onwards and at [configurator.knaus.com](http://configurator.knaus.com).

Technical specifications	550 MF	650 MEG
<b>BODY</b>		
Total number of hinged windows	3	3
Body door (width x height)	60 x 195	70 x 195
Wall thickness, roof (mm)	32	32
Wall thickness, side wall (mm)	31	31
Wall thickness, floor (mm)	40	40
<b>LIVING AREA</b>		
Three-point belts in driving direction	2	2
Bed size, lifting bed (cm)	185 x 150	185 x 150
Bed size, front (cm)	-	195 x 115 x 41
Bed size, rear (cm)	201 x 140/105	201 x 85; 201 x 77
<b>WATER</b>		
Waste water volume in liters	95	95
Fresh water volume in liters (Note: H711, H712B)	95	95
Fill level of the fresh water tank (liter)	10	10
<b>KITCHEN</b>		
Refrigerator (ltr.)	98	142
<b>ELECTRICAL SUPPLY</b>		
Living area battery	80	80
Number of 230 V socket(s)	5	5
Number of USB socket(s)	1	1

\*\*\* The stated weight is the technically permissible maximum weight. Additional options as well as legal and technical information regarding vehicle weights are available from page 3 f and page 31 ff of this price list and at [configurator.knaus.com](http://configurator.knaus.com)

Please note the notes and dependencies from page 28  
Description: o = option | - = not available | s = standard equipment

<b>Motorisation / Drive / Gearing / Load increase</b>	
203001-99	FIAT Ducato 3.500 kg***; 2.2 l 140 Multijet; front-wheel drive; Euro 6d-Final (103 kW / 140 HP); 6-speed manual gearbox (Dependency: ABH18977)
202826	6-speed manual gearbox
<b>Chassis / Climate Control / Multimedia</b>	
202844	Left-hand drive
202852-01	Chassis uni paint: White
152828	15" tyres
212561-01	Steel rims (Dependency: ABH14008)
200176	Air conditioning in cab, manual including pollen filter and outside temperature display
201862	Driver airbag
200501	Passenger airbag
202728-01	Original FIAT Captainchair seats with armrests
200633	Cab seats swivelling
202885	Passenger's console with armrest and integrated cup holder
102731	Body door KNAUS KOMFORT
552889	Textile shading for front and side windows
200567	Tempomat® - Cruise Control
202871	ESP
202872	Hill Holder (Hill Start Assist)
202873	ABS
202874	Electronic immobiliser
202876	Electromechanical power steering
203755	Trailer Stability Control System
203756	Post Collision Braking System
222881	Crosswind Assist
202890	Fuel tank 75 ltr.
202891	Car key with remote control for central locking for cab doors
202892-01	Power windows (driver's door)
202894	Bus exterior mirrors hanging
102893	Passenger side with sliding window
202895	Exterior mirrors manually adjustable
202899	Full-LED front lighting
202137	LED daytime running light
102273-01	Maximum load capacity of the rear garage: 150 kg

<b>Doors</b>	
102839	Body door: KNAUS KOMFORT
102840	One-key locking system
<b>Service hatches / Garage doors</b>	
102911	Service/storage space hatches and garage door/hatch with one-hand operation
102915-03	KNAUS ServiceBox
102916-04	Service hatch for ServiceBox 70 x 40 cm, bow left
102914-14	Easy access to gas locker via the service door located in side wall, position lengthwise
102914-10	Gas locker for 2 x 11 kg gas bottles
<b>Windows / Roof Hoods / Ventilation</b>	
102923-04	Windows with double glazing tinted, curtained and hinged (with insect screen and blackout)
102254	Roof hood 40 x 40 cm with insect screen and blackout, clear (over lifting bed)
102619-01	Roof hood 40 x 40 cm with insect screen and blackout, clear (bow)
102619-03	Roof hood 40 x 40 cm with insect screen and blackout, clear (rear)
100960-04	Roof hood 28 x 28 cm with insect screen, (toilet room)
<b>Materials / Vehicle Graphics</b>	
102926-18	FoldXpand rear concept: full-plastic rear wall with flush integrated taillight carrier
100887	GRP roof with reduced hail sensitivity
102926-06	Smooth aluminium sheet in white
102928-05	Resistant underfloor coating
<b>Lighting / Technology</b>	
102933-01	KNAUS CATEYE evolution – taillight with exclusive night signature and dynamic indicator in LED technology
102933-02	Registration plate light in LED technology
102933-13	Third brake light in LED
252937	Awning light with motion sensor LED
<b>Furniture / Surfaces</b>	
552940-10	Furniture decor: Matara Teak
552944-03	Durable vinyl flooring, wood style
552941-16	Storage locker hatches with soft-close function
<b>Living / Sleeping / Upholstery and Fabrics</b>	
552960-01	Mono seating group with hanging table, incl. swivel table extension

552945-01	EvoPore HRC mattress, fixed beds only
552948	Lifting bed with low access in cab (Note: H147)
552335-05	Upholstery selection: COOL GREY
<b>Kitchen / Bathroom</b>	
402985-05	2-burner cooker with glass cover, stainless steel sink, recessed (Dependency: ABH13918)
552941-17	Kitchen drawers with soft-close function
402417	Automatic energy selection for refrigerator (AES)
453502-07	High-quality fittings
453509-07	Folding clothes rail in the toilet room or shower
<b>Heating / Air conditioning / Gas Supply / Water Supply</b>	
302973	Gas system 30 mbar
302974	Gas hose version D/AT/ES/FI/BE/IT/NL/DK
302978	Gas regulator version D/AT/ES/FI/BE/IT/NL/DK
551054	Air circulation system 12 V
351166	Heating TRUMA Combi 6
453510-01	Water supply with submerged pump
453510-03	Hot water supply with single-lever mixer tap
453510-07	Water pipes laid in insulated area
<b>Electronics / Multimedia / Safety</b>	
253523-02	Power supply / interior lighting with 230 V and 12 V, various interior sockets
253526-04	Networkable electrical system incl. central control panel with display for status of batteries, fresh and waste water tanks and power connection
253534-06	Interior lighting completely in LED technology
253526-02	Control panel
253527-02	Charger 216 VA
253530	Circuit breaker
251949-02	USB socket in the front (1 pc.)
252723	Charging booster for body battery
253517	230 V SCHUKO sockets "D/AT/ES/FI/BE/IT/NL/DK/SE" version
252729	230 V SCHUKO socket, additional 1 pc. in garage
<b>Miscellaneous</b>	
953542-01	Operating instruction (German)
<b>Accessories</b>	
953543	10-year leak-proofness guarantee

## KNAUS VAN I – Packages

Item no.	
<b>210011</b>	<b>FIAT Package – integrated (I) (11 kg)</b>
200242	Electrically adjustable and heated exterior mirrors
201863	Height adjustment for cab seats
202132	16" tyres
202478	Steering wheel with controls for radio
	Info: Please note that if you do not order the FIAT package, the delivery time of the vehicle will be extended considerably.

Item no.	
<b>222005</b>	<b>Styling Package VAN I</b>
102002	Chrome applications in radiator grill
102595	Cab side window with black frame and sideblade under the side windows with chrome application, incl. model series lettering
102658	High-quality foil graphics with elements in carbon look instead of standard foil graphics
103760	KNAUS emblems front and rear, black/chrome
201815	Alloy rims for standard tyres

Item no.	
<b>225030</b>	<b>Energy Plus Package (24 kg)</b>
232667	Intelligent charger with 25 A charging power
250201	Additional board battery
251757	Battery sensor for on-board battery
252654	Touch-Control-Panel with intuitive operating concept of networked components, incl. indoor and outdoor temperature sensor instead of standard Control-Panel

Item no.	
<b>222001</b>	<b>VAN I Package – MEG (18 kg)</b>
100526-15	Garage door 80 x 110 cm, left
100602	Insect screen door
201789	High-quality fitted seat covers for driver's/ passenger's seat in KNAUS fabric stlye
250233	Radio preparation incl. 2 loudspeakers
352059	TRUMA CP-Plus digital heating control panel
450740	Insulating hood waste water tank, heatable
452718-01	"bluuwater" water filter system
551778-01	Roof hood (lift-tilt) 70 x 50 cm with insect screen and blackout, clear with lighting (bow)
952823	MediKit voucher (Note: H137)
953757-01	silwyREADY
	If ALDE hot water heating is selected, panel is replaced by ALDE LCD control panel.

Item no.	
<b>222002</b>	<b>VAN I Package – MF (12 kg)</b>
100602	Insect screen door
201789	High-quality fitted seat covers for driver's/ passenger's seat in KNAUS fabric stlye
250233	Radio preparation incl. 2 loudspeakers
352059	TRUMA CP-Plus digital heating control panel
450740	Insulating hood waste water tank, heatable
452718-01	"bluuwater" water filter system
551778-01	Roof hood (lift-tilt) 70 x 50 cm with insect screen and blackout, clear with lighting (bow)
952823	MediKit voucher (Note: H137)
953757-01	silwyREADY
	If ALDE hot water heating is selected, panel is replaced by ALDE LCD control panel.

Item no.	
<b>225035</b>	<b>Energy-Basic Package</b>
232667	Intelligent charger with 25 A charging power
252654	Touch-Control-Panel with intuitive operating concept of networked components, incl. indoor and outdoor temperature sensor instead of standard Control-Panel

Item no.	
<b>221005</b>	<b>Deluxe Door I Package (19 kg)</b>
102522-03	Service/storage space hatches and garage door/hatch with central locking
102610	Body door: KNAUS EXKLUSIV
102813	Insulating glazing for cab side windows and doors with improved sound and thermal insulation



## KNAUS VAN I – Features and options

Item no.	in package/ option	Description: o = option   – = not available   s = standard equipment	KG	550 MF	650 MEG
<b>Motorisation / Drive / Gearing / Load increase</b>					
<b>FIAT Ducato</b>					
<b>3.500 kg Chassis light</b>					
203004-99		FIAT Ducato 3.500 kg***; 2.2 l 180 Multijet; front-wheel drive; Euro 6d-Final (132 kW / 180 HP); 6-speed manual gearbox (Dependency: ABH18951)	-	-	o
<b>Gearing</b>					
202711		9-speed torque converter automatic transmission (Dependency: ABH14198)	18	o	o
<b>Load Increase</b>					
201781-01		Load increase from 3.500 kg*** to 3.650 kg***	-	-	o
<b>Chassis / Climate Control / Multimedia</b>					
101888		Cab entry step, electric	7	o	o
200394		Crank supports, rear	4	o	o
201887		Coil spring on front axle	12	o	o
202766		Coil spring on rear axle (Chassis optimisation) (Dependency: ABH14000)	10	o	o
202060		2-channel air suspension (Dependency: ABH14002)	25	o	o
<b>Tyres</b>					
203808	202568, 202569, 202572, 202573, 221010	All-weather tyres	-	o	o
202200		16" full wheel covers (Dependency: ABH14010)	2	o	o
200868		Wheel covers in KNAUS design (Dependency: ABH13886)	2	o	o
201815	222005	Alloy rims for standard tyres (Dependency: ABH14198, ABH31396)	-	o	o
202568		17" alloy rims with branded all-season tyres (235/60R17), black gloss front-polished in exclusive KNAUS design (Dependency: ABH14284, ABH13892, ABH13893, Note: H150)	7	o	o
202569		17" alloy rims with branded all-season tyres (235/60R17), titanium metallic painted in exclusive KNAUS design (Dependency: ABH14284, ABH13892, ABH13893, Note: H150)	7	o	o
202572		17" alloy rims with branded all-season tyres (235/60R17), black gloss front-polished in exclusive KNAUS design (Dependency: ABH23079, ABH14021, ABH13893, Note: H150, H161)	4	o	o
202573		17" alloy rims with branded all-season tyres (235/60R17), titanium metallic painted in exclusive KNAUS design (Dependency: ABH23079, ABH14021, ABH13893, Note: H150, H161)	4	o	o

Item no.	in package/ option	Description: o = option   – = not available   s = standard equipment	KG	550 MF	650 MEG
<b>Air Conditioning / Interior</b>					
201686		Air conditioning in cab, automatic (extra charge from difference to manual air conditioning)	-	o	o
201863	210011	Height adjustment for cab seats	-	o	o
201519		Steering wheel and gear knob in leather	-	o	o
203730		Instrument panel in Techno design (aluminium)	-	o	o
201789	222002, 222001	High-quality fitted seat covers for driver's/ passenger's seat in KNAUS fabric style	-	o	o
203804		AGUTI seats Premium (Dependency: ABH14216)	36	o	o
203803		AGUTI seats Exklusiv (Dependency: ABH14216)	24	o	o
102813	221005	Insulating glazing for cab side windows and doors with improved sound and thermal insulation	15	o	o
551988	221010	Insulating mat for total cab area	10	o	o
551989	221010	Insulating mat for cab foot area	1	o	o
551877		Front shading folding pleated blind, manual operation (extendable from above and below)	5	o	o
552500		Front shading folding pleated blind, electric drive (movable from above and below)	5	o	o
<b>Assistance Systems</b>					
201787	221010	"Traction Plus" traction aid, including Hill Descent Assist	-	o	o
202150		Tyre pressure sensors	1	o	o
203729		Electric parking brake (Dependency: ABH14000)	-9	o	o
<b>Lighting / Technology</b>					
201043		Spare tyre	20	o	o
202712		Fuel tank 90 ltr.	13	o	o
202227		Additional car key with remote control	-	o	o
201630		Battery disconnect switch in driver's cab	-	o	o
203732	221010	230 V socket in driver's cab	-	o	o
<b>Multimedia / Navigation</b>					
252143	210006	All-in-one navigation system	2	o	o
203727		Inductive charging cradle (Dependency: ABH35620)	-	o	o
203725		Virtual cockpit	-	o	o
<b>Transport Systems</b>					
102273	100237, 200188	Maximum load capacity of the rear garage: 250 kg	20	o	o
200188		Trailer hitch, rigid (Dependency: ABH14112, ABH14028, ABH14027)	26	o	o
203933		Preparation for trailer hitch	-	o	o

## KNAUS VAN I – Features and options

Item no.	in package/ option	Description: o = option   – = not available   s = standard equipment	KG		550 MF	650 MEG
102514		Bicycle carrier for 2 bikes, rear: THULE LIFT V16 (Dependency: ABH14176, Note: H157)	17		o	o
102515		Bicycle carrier for 3 bikes, rear: THULE LIFT V16 (Dependency: ABH14176, Note: H157)	18		o	o
102764		THULE garage organisation system 1	4		–	o
100237		Motorcycle holder, load capacity 120 kg (Dependency: ABH35624, ABH14036, ABH14027)	50		o	o
<b>Doors</b>						
102564		Body door: KNAUS PREMIUM	2		o	o
102610	221005	Body door: KNAUS EXKLUSIV	2		o	o
102577		Multifunctional bag in KNAUS design (Dependency: ABH17716)	–		o	o
100602	222002, 222001	Insect screen door	4		o	o
100212		Electrical entry step	7		o	o
<b>Service hatches / Garage doors</b>						
102522-03	221005	Service/storage space hatches and garage door/hatch with central locking (Dependency: ABH14038, ABH13912)	2		o	o
<b>Rear</b>						
100526-15	222001	Garage door 80 x 110 cm, left	6		–	o
100526-16		Garage door 80 x 110 cm, right	6		–	s
100526-14		Garage door 80 x 80 cm, right	4		s	–
<b>Windows / Roof Hoods / Ventilation</b>						
101820		Frame window SEITZ S7	–		o	o
<b>Front</b>						
551778-01	222002, 222001	Roof hood (lift-tilt) 70 x 50 cm with insect screen and blackout, clear with lighting (bow)	8		o	o
<b>Centre</b>						
102619-02		Roof hood 40 x 40 cm with insect screen and blackout, clear (centre)	3		–	s
<b>Rear</b>						
101944		Panorama skylight 130 x 45 cm (rear)	12		–	o
101019-02		Hinged window 70 x 40 cm, (rear left)	6		–	o
<b>Materials / Vehicle Graphics</b>						
<b>Materials</b>						
102216		TVT body construction	–		o	o
<b>Living / Sleeping / Upholstery and Fabrics</b>						
<b>Living</b>						
551770		L-shaped seating group with telescopic single-column lifting table	8		o	o

Item no.	in package/ option	Description: o = option   – = not available   s = standard equipment	KG		550 MF	650 MEG
552247-01		ISOFIX system (1 child seat)	5		o	o
<b>Sleeping</b>						
552574		EvoPore HRC mattress incl. WaterGEL topper, fixed beds only	6		o	o
551796		Bed extension to a double bed	2		–	o
552198		Bed conversion of the seating group	2		–	s
551234		Bed extension in foot area, layouts with F-bed	2		o	–
552370		Fitted sheet set, precisely fitting for the mattress shape - for 4 or 5 beds (fixed bed and bunk bed)	1		o	o
<b>Upholstery / Fabrics / Carpets</b>						
<b>Upholstery Variants</b>						
552335-01		Upholstery selection: TURIN (FIAT)	–		o	o
552335-06		Upholstery selection: BLUE NIGHT	–		o	o
552188-02		Upholstery selection: ACTIVE ROYAL	–		o	o
552188-04		Upholstery selection: ACTIVE ROCK	–		o	o
550783-01		Upholstery selection: CREAM NATURE (genuine leather)	–		o	o
<b>COZY HOME Package consisting of: 2 decorative pillows, 2 sleeping pillows, 2 blankets, table runner</b>						
550660-06		COZY HOME Package, colour selection PEACH	3		o	o
550660-02		COZY HOME Package, colour selection STONE	3		o	o
550660-03		COZY HOME Package, colour selection AVOCADO	3		o	o
550660-04		COZY HOME Package, colour selection AQUA	3		o	o
550660-05		COZY HOME Package, colour selection MAGNOLIA	3		o	o
550660-01		COZY HOME Package, colour selection EARTH	3		o	o
<b>Carpets</b>						
201074		Floor mat set in driver's cab in KNAUS design	2		o	o
550235		Carpet floor in living area	6		o	o
<b>Kitchen / Bathroom</b>						
<b>Kitchen</b>						
400369-01		Gas oven incl. grill function (installation location in the kitchen block)	13		–	o
402991-09		Refrigerator 98 ltr.	–		s	–
402767		Refrigerator 142 ltr.	–		–	s
<b>Bathroom Area</b>						
453505-16		Comfort bathroom with shower and washbasin	–		–	s
453505-15		Longitudinal washroom with shower	–		s	–
453503-01		Bench toilet Thetford	–		s	–
453503-03		Cassette toilet DOMETIC swivelling	–		–	s


## KNAUS VAN I – Features and options

Item no.	in package/ option	Description: o = option   – = not available   s = standard equipment	KG	550 MF	650 MEG
<b>Heating / Air conditioning / Gas Supply / Water Supply</b>					
<b>Gas Supply</b>					
301057		Remote display DuoC (Ice Ex integrated) (Dependency: ABH13926)	-	o	o
301956		TRUMA MonoControl CS (incl. gas filter) (Dependency: ABH13928)	1	o	o
301957		TRUMA DuoControl CS (incl. gas filter) (Dependency: ABH13928)	1	o	o
302499		TRUMA LevelControl (for 1 steel gas bottle) (Dependency: ABH13930)	-	o	o
551327		Smoke detector	-	o	o
302494		Gas detector	-	o	o
300518		External gas socket	1	o	o
<b>Heating / Air conditioning</b>					
351274		Heating TRUMA Combi E (Dependency: ABH14058)	1	o	o
550566-01		ALDE hot water heating incl. booster (Dependency: ABH23081, Note: H160)	41	o	o
550825		Electric underfloor heating	8	o	o
352966	550566-01	Heating control panel ALDE LCD (Dependency: ABH14040)	-	o	o
450740	222002, 222001	Insulating hood waste water tank, heatable	2	o	o
352287		Cab floor mat with hot water heating (Dependency: ABH14040)	2	o	o
552052		Air conditioning DOMETIC Freshjet 2200 (OEM) (Dependency: ABH14064, ABH13935, Note: H145)	29	o	o
<b>Water Supply</b>					
452718-01	222002, 222001	"bluuwater" water filter system	1	o	o
<b>Electronics / Multimedia / Safety</b>					
<b>Electronics</b>					
251949-09		USB socket in the rear (1 pc.)	-	o	o
252524		Atmospheric ambient lighting	3	o	o
250072-06		230 V SCHUKO socket, additional 1 pc. in kitchen	-	o	o
250201	225030	Additional board battery (Dependency: ABH14066)	24	o	o
253747-01		Lithium-ion on-board batterie (instead of standard battery) (Dependency: ABH23043, ABH14066)	-8	o	o
253748-01		Additional Lithium-ion board battery (Dependency: ABH23034, ABH23039, ABH14066)	12	o	o
253782		Solar system (200 W) (Dependency: ABH13958)	17	o	o

Item no.	in package/ option	Description: o = option   – = not available   s = standard equipment	KG	550 MF	650 MEG
<b>Multimedia</b>					
252824-01	210073	Complete antenna system Oyster 60 Premium, Twin incl. 27" SMART-TV (Dependency: ABH14074, Note: H145)	22	o	o
253568-01		27" SMART TV set with HD tuner incl. holder (Dependency: ABH14078, ABH14077)	7	o	o
252448-01		21.5" SMART TV set with HD tuner incl. holder, in sleeping area (Dependency: ABH14080, ABH14077)	6	o	o
252479	210073	Pre-cabling for TV in the sleeping area	1	o	o
252405	210073, 252448-01, 253568-01	TV holder	3	o	o
<b>Safety</b>					
252733	210020	Alarm system "Cobra"	4	o	o
252734	210020	Gas sensor as addition to the alarm system (Dependency: ABH13974)	-	o	o
252698	114580	velocate® GPS tracker (Note: H146)	-	o	o
252815	114580	velocate® LIFETIME license with unlimited, personal, EU-wide tracking (Dependency: ABH13976)	-	o	o
253809	114580	velocate® sensors (gas, temperature, motion) (Dependency: ABH13978)	-	o	o
<b>Awning / Awning Accessories</b>					
<b>Awning THULE OMNISTOR</b>					
500893		Awning 355 x 250 cm, white	28	o	-
502318		Awning 455 x 250 cm, white	33	-	o
<b>Miscellaneous</b>					
951036		MOT and registration document	-	o	o
<b>Accessories</b>					
952823	222002, 222001	MediKit voucher (Note: H137)	-	o	o
953757-01	222002, 222001	silwyREADY	-	o	o

# L!VE I

## Technical specifications



### Important information

When selecting and configuring your vehicle, please note that any factory-fitted additional equipment will increase the actual weight of the vehicle and reduce the payload. The weight of the additional equipment ('packages', 'features' and 'options') stated on the following pages is the additional weight compared to the standard equipment for the respective layouts. The total weight of the configured additional equipment must not exceed the maximum weight of additional equipment specified by the manufacturer in their technical specifications. This value is calculated for each layout and used by Knaus Tabbert AG, as the manufacturer, to determine the maximum weight available for factory-fitted additional equipment.

The 'weight in road-worthy condition' stated in the technical specifications is a calculated nominal value which is subject to production-related fluctuations of up to  $\pm 5\%$ . These production-related tolerances of up to  $\pm 5\%$  are legally permissible and are shown separately in the technical specifications, after the calculated value. Since these legally permissible tolerances have a direct effect on the actual weight of your vehicle and thus also on the maximum weight of additional equipment, you must take them into account when configuring your vehicle.

The maximum weight of additional equipment specified by the manufacturer is intended to ensure that the legally prescribed 'minimum payload' is actually available for luggage and other accessories after delivery of the vehicle by the manufacturer. If, due to the selection of additional equipment, the actual weight of the vehicle increases to such an extent that, by calculating the difference between the actual vehicle weight and the technically permissible maximum weight, there is no longer sufficient payload capacity to carry the permitted number of passengers and the minimum payload, then (dependent on layout) you have a number of options in the configuration tool. In order to continue with the configuration, you may select an increase in vehicle load capacity, reduce the permitted number of seats when driving and/or deselect additional equipment. If this does not happen, you will be unable to continue configuring and therefore also ordering your vehicle. Detailed technical and legal information about vehicle weights is available from page 31 onwards and at [configurator.knaus.com](http://configurator.knaus.com).


Technical specifications	650 MEG	700 MEG	900 LEG
<b>BASE VEHICLE</b>			
<b>FIAT Ducato 3.500 kg***; 2.2 l 140 Multijet; front-wheel drive; Euro 6d-Final (103 kW / 140 HP); 6-speed manual gearbox (Dependent on layout)</b>	s	s	–
<b>FIAT Ducato 5.000 kg***; 2.2 l 180 Multijet; front-wheel drive; Euro VI HD (132 kW / 180 HP); 6-speed manual gearbox (Dependency: ABH18962, ABH18963)</b>	–	–	s
<b>BASIC EQUIPMENT</b>			
Total length (cm)	697	751	859
Width (outside) (cm)	232	232	232
Width (inside) (cm)	218	218	218
Height (outside) (cm)	279	279	279
Height (inside) (cm)	200	200	200
Mass in running order (basic model without optional equipment but with basic equipment) (kg) (Note: H140)	2.945 (2.798 - 3.092)	2.985 (2.836 - 3.134)	3.665 (3.482 - 3.848)
Technically maximum authorised laden mass (kg)***	3.500	3.500	5.000
Maximum payload (kg)	220	174	984
Towing load (kg) (Note: H722)	2.000	2.000	1.500
Wheelbase (cm)	380	403	–
Number of persons allowed in driving operation	4	4	4
Beds (Note: H141)	4	4	6
Max. number of beds (Note: H142)	5	5	6
Automatic three-point belts	2	2	2

\*\*\* The stated weight is the technically permissible maximum weight. Additional options as well as legal and technical information regarding vehicle weights are available from page 3 f and page 31 ff of this price list and at [configurator.knaus.com](http://configurator.knaus.com)

Please note the notes and dependencies from page 28  
Description: o = option | – = not available | s = standard equipment

# L!VE I

## Technical specifications



Technical specifications	650 MEG	700 MEG	900 LEG
Max. belt-secured seats	4	5	5
<b>BODY</b>			
Total number of hinged windows	3	3	4
Body door (width x height)	70 x 195	70 x 195	70 x 195
Wall thickness, roof (mm)	32	32	32
Wall thickness, side wall (mm)	31	31	31
Wall thickness, floor (mm)	40	40	40
<b>LIVING AREA</b>			
Three-point belts in driving direction	2	2	2
Bed size, lifting bed (cm)	193 x 150	193 x 150	193 x 150
Bed size, front (cm)	205 x 118/40	205 x 118/88	205 x 165/140
Bed size, rear (cm)	202 x 78; 197 x 78	199 x 78; 205 x 78	2 x 205 x 78
<b>WATER</b>			
Waste water volume in liters	95	95	95
Fresh water volume in liters (Note: H712B,H712C)	100	100	100
Fill level of the fresh water tank (liter)	10	10	10
<b>KITCHEN</b>			
Refrigerator (ltr.)	142	142	177
<b>ELECTRICAL SUPPLY</b>			
Living area battery	80	80	80
Number of 230 V socket(s)	5	5	7
Number of USB socket(s)	1	1	1

### Notes

---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---

<b>Motorisation / Drive / Gearing / Load increase</b>	
203001-99	FIAT Ducato 3.500 kg***; 2.2 l 140 Multijet; front-wheel drive; Euro 6d-Final (103 kW / 140 HP); 6-speed manual gearbox (Dependent on layout)
202826	6-speed manual gearbox
<b>Chassis / Climate Control / Multimedia</b>	
202843	Wide-track chassis (Dependent on layout)
202844	Left-hand drive
202852-01	Chassis uni paint: White
152828	15" tyres
212561-01	Steel rims (Dependency: ABH14008)
200176	Air conditioning in cab, manual including pollen filter and outside temperature display
201862	Driver airbag
200501	Passenger airbag
202728-01	Original FIAT Captainchair seats with armrests
200633	Cab seats swivelling
202885	Passenger's console with armrest and integrated cup holder
102731	Body door KNAUS KOMFORT
552889	Textile shading for front and side windows
200567	Tempomat® - Cruise Control
202871	ESP
202872	Hill Holder (Hill Start Assist)
202873	ABS
202874	Electronic immobiliser
202876	Electromechanical power steering
203755	Trailer Stability Control System
203756	Post Collision Braking System
222881	Crosswind Assist
202890	Fuel tank 75 ltr.
202891	Car key with remote control for central locking for cab doors
202892-01	Power windows (driver's door)
202894	Bus exterior mirrors hanging
102893	Passenger side with sliding window
202895	Exterior mirrors manually adjustable
202899	Full-LED front lighting
202137	LED daytime running light
102273-01	Maximum load capacity of the rear garage: 150 kg (Dependent on layout)

<b>Doors</b>	
102839	Body door: KNAUS KOMFORT
102840	One-key locking system
<b>Service hatches / Garage doors</b>	
102911	Service/storage space hatches and garage door/hatch with one-hand operation
102915-03	KNAUS ServiceBox
102916-01	Service hatch for ServiceBox 53 x 37.5 cm, bow left
102914-14	Easy access to gas locker via the service door located in side wall, position lengthwise
102914-10	Gas locker for 2 x 11 kg gas bottles
100526-16	Garage door 80 x 110 cm, right
<b>Windows / Roof Hoods / Ventilation</b>	
102923-04	Windows with double glazing tinted, curtained and hinged (with insect screen and blackout)
102254	Roof hood 40 x 40 cm with insect screen and blackout, clear (over lifting bed)
102619-01	Roof hood 40 x 40 cm with insect screen and blackout, clear (bow)
102619-03	Roof hood 40 x 40 cm with insect screen and blackout, clear (rear)
100960-04	Roof hood 28 x 28 cm with insect screen, (toilet room)
<b>Materials / Vehicle Graphics</b>	
102926-25	Bow in LFI technology
100887	GRP roof with reduced hail sensitivity
102926-06	Smooth aluminium sheet in white
102928-05	Resistant underfloor coating
<b>Lighting / Technology</b>	
102933-01	KNAUS CATEYE evolution – taillight with exclusive night signature and dynamic indicator in LED technology
102933-12	Third brake light integrated at the rear
252937	Awning light with motion sensor LED
102926-18	FoldXpand rear concept: full-plastic rear wall with flush integrated taillight carrier
<b>Furniture / Surfaces</b>	
552940-10	Furniture decor: Matara Teak
552941-29	Combination of high-quality furniture construction with accent surfaces in Samoa decor
552944-02	Vinyl flooring – Natural Oak
552941-16	Storage locker hatches with soft-close function

<b>Living / Sleeping / Upholstery and Fabrics</b>	
552960-01	Mono seating group with hanging table, incl. swivel table extension (Dependent on layout)
552945-01	EvoPore HRC mattress, fixed beds only
552948	Lifting bed with low access in cab (Note: H147)
552335-05	Upholstery selection: COOL GREY
<b>Kitchen / Bathroom</b>	
402985-01	3-burner cooker with glass cover, stainless steel sink, recessed (Dependency: ABH13918)
552941-17	Kitchen drawers with soft-close function
402767	Refrigerator 142 ltr. (Dependent on layout)
402417	Automatic energy selection for refrigerator (AES)
453502-07	High-quality fittings
453509-07	Folding clothes rail in the toilet room or shower
453503-03	Cassette toilet DOMETIC swivelling (Dependent on layout)
<b>Heating / Air conditioning / Gas Supply / Water Supply</b>	
302973	Gas system 30 mbar
302974	Gas hose version D/AT/ES/FI/BE/IT/NL/DK
302978	Gas regulator version D/AT/ES/FI/BE/IT/NL/DK
551054	Air circulation system 12 V
351166	Heating TRUMA Combi 6
453510-01	Water supply with submerged pump
453510-03	Hot water supply with single-lever mixer tap
453510-07	Water pipes laid in insulated area
<b>Electronics / Multimedia / Safety</b>	
253523-02	Power supply / interior lighting with 230 V and 12 V, various interior sockets
253526-01	Control panel with touch function
253530	Circuit breaker
253527-01	Charger 190 VA
251949-02	USB socket in the front (1 pc.)
252723	Charging booster for body battery
253517	230 V SCHUKO sockets "D/AT/ES/FI/BE/IT/NL/DK/SE" version
252729	230 V SCHUKO socket, additional 1 pc. in garage
<b>Miscellaneous</b>	
953542-01	Operating instruction (German)
<b>Accessories</b>	
953543	10-year leak-proofness guarantee

## KNAUS LIVE I – Packages

Item no.	
<b>210011</b>	<b>FIAT Package – integrated (I) (11 kg)</b>
200242	Electrically adjustable and heated exterior mirrors
201863	Height adjustment for cab seats
202132	16" tyres
202478	Steering wheel with controls for radio
	Info: Please note that if you do not order the FIAT package, the delivery time of the vehicle will be extended considerably.

Item no.	
<b>221006</b>	<b>Styling Package LIVE I – 650 MEG / 700 MEG</b>
102002	Chrome applications in radiator grill
102595	Cab side window with black frame and sideblade under the side windows with chrome application, incl. model series lettering
102658	High-quality foil graphics with elements in carbon look instead of standard foil graphics
103760	KNAUS emblems front and rear, black/chrome
201815	Alloy rims for standard tyres

Item no.	
<b>221008</b>	<b>Styling Package LIVE I – 900 LEG</b>
102002	Chrome applications in radiator grill
102595	Cab side window with black frame and sideblade under the side windows with chrome application, incl. model series lettering
102658	High-quality foil graphics with elements in carbon look instead of standard foil graphics
103760	KNAUS emblems front and rear, black/chrome
201026	Alloy rims for standard tyres

Item no.	
<b>210006</b>	<b>Media Package (4 kg)</b>
251793	Rear view camera incl. wiring
252143	All-in-one navigation system
252715	Head-up display

Item no.	
<b>230400</b>	<b>LIVE I Package (12 kg)</b>
100602	Insect screen door
201789	High-quality fitted seat covers for driver's/ passenger's seat in KNAUS fabric stlye
250233	Radio preparation incl. 2 loudspeakers
352059	TRUMA CP-Plus digital heating control panel
450740	Insulating hood waste water tank, heatable
452718-01	"bluuwater" water filter system
551778-01	Roof hood (lift-tilt) 70 x 50 cm with insect screen and blackout, clear with lighting (bow)
952823	MediKit voucher (Note: H137)
953757-01	silwyREADY
	If ALDE hot water heating is selected, panel is replaced by ALDE LCD control panel.

Item no.	
<b>210073</b>	<b>TV Package Twin 27" – 60 (26 kg)</b>
252405	TV holder
252479	Pre-cabing for TV in the sleeping area
252824-01	Complete antenna system Oyster 60 Premium, Twin incl. 27" SMART-TV If this option is selected, the vehicle height increases by approx. 11 cm

Item no.	
<b>221005</b>	<b>Deluxe Door I Package (19 kg)</b>
102522-03	Service/storage space hatches and garage door/hatch with central locking
102610	Body door: KNAUS EXKLUSIV
102813	Insulating glazing for cab side windows and doors with improved sound and thermal insulation

Item no.	
<b>210020</b>	<b>Safety I Package (4 kg)</b>
252733	Alarm system "Cobra"
252734	Gas sensor as addition to the alarm system



## KNAUS LIVE I – Features and options

Item no.	in package/ option	Description: o = option   – = not available   s = standard equipment	KG	650 MEG	700 MEG	900 LEG
<b>Motorisation / Drive / Gearing / Load increase</b>						
<b>FIAT Ducato</b>						
<b>3.500 kg Chassis light</b>						
203004-99		FIAT Ducato 3.500 kg***; 2.2 l 180 Multijet; front-wheel drive; Euro 6d-Final (132 kW / 180 HP); 6-speed manual gearbox (Dependency: ABH18954, ABH18955)	-	o	o	-
<b>4.000 kg Chassis</b>						
203007-99		FIAT Ducato 4.000 kg***; 2.2 l 180 Multijet; front-wheel drive; Euro 6d-Final (130 kW / 177 HP); 6-speed manual gearbox (Dependency: ABH18958, ABH18959)	40	o	o	-
<b>Heavy Duty Chassis</b>						
203130		FIAT Ducato 5.000 kg***; 2.2 l 180 Multijet; front-wheel drive; Euro VI HD (132 kW / 180 HP); 6-speed manual gearbox (Dependency: ABH18962, ABH18963)	-	-	-	s
<b>Gearing</b>						
202711		9-speed torque converter automatic transmission (Dependency: ABH14198)	18	o	o	o
<b>Load Increase</b>						
201781-01		Load increase from 3.500 kg*** to 3.650 kg*** (Dependency: ABH30111)	-	o	o	-
201869-01		Load increase from 4.000 kg*** to 4.250 kg*** (Dependency: ABH30943)	-	o	o	-
201869-02		Load increase from 4.000 kg*** to 4,400 kg*** (Dependency: ABH30943)	-	o	o	-
202320		Load increase from 5.000 kg*** to 5.500 kg*** (Dependency: ABH23015, Note: H722)	-	-	-	o
952791		Reduction of the number of permitted seats in operation from 4 to 3 people (Dependency: ABH23053, ABH14196)	-	-	o	-
952792		Reduction of the number of permitted seats in operation from 4 to 2 people (Dependency: ABH23053, ABH14196)	-	-	o	-
551773		Additional belt-secured seat, pluggable	14	-	o	-
552362		Extra folding seat, seat position in driving direction	14	-	-	o
<b>Chassis / Climate Control / Multimedia</b>						
202843-01		AL-KO AMC low-frame chassis	-	-	-	s
101888		Cab entry step, electric	7	o	o	o

Item no.	in package/ option	Description: o = option   – = not available   s = standard equipment	KG	650 MEG	700 MEG	900 LEG
200394		Crank supports, rear	4	o	o	o
201887		Coil spring on front axle	12	o	o	s
202766		Coil spring on rear axle (Chassis optimisation) (Dependency: ABH14000)	10	o	o	-
202060		2-channel air suspension (Dependency: ABH14002)	25	o	o	-
200393		Air suspension system (3-axle) - AL-KO Air Premium X2 for rear axles (Dependency: ABH13880)	50	-	-	o
202330		Air suspension system (3-axle) - AL-KO Air Premium X4 for front and rear axles (Dependency: ABH13882)	55	-	-	o
203722		Plastic leaf springs	-15	-	s	-
<b>Tyres</b>						
203808	202568, 202569, 202572, 202573, 221010	All-weather tyres	-	o	o	-
202200		16" full wheel covers (Dependency: ABH14010)	2	o	o	o
200868		Wheel covers in KNAUS design (Dependency: ABH13886)	2	o	o	o
201815	221006	Alloy rims for standard tyres (Dependency: ABH14198, ABH14013)	-	o	o	-
201026	221008	Alloy rims for standard tyres (Dependency: ABH14198, ABH14013)	-	-	-	o
202568		17" alloy rims with branded all-season tyres (235/60R17), black gloss front-polished in exclusive KNAUS design (Dependency: ABH23055, ABH14202, ABH13892, ABH13893, Note: H150)	7	o	o	-
202569		17" alloy rims with branded all-season tyres (235/60R17), titanium metallic painted in exclusive KNAUS design (Dependency: ABH23055, ABH14202, ABH13892, ABH13893, Note: H150)	7	o	o	-
202572		17" alloy rims with branded all-season tyres (235/60R17), black gloss front-polished in exclusive KNAUS design (Dependency: ABH23057, ABH14021, ABH13893, Note: H150,H161)	4	o	o	-
202573		17" alloy rims with branded all-season tyres (235/60R17), titanium metallic painted in exclusive KNAUS design (Dependency: ABH23057, ABH14021, ABH13893, Note: H150,H161)	4	o	o	-

\*\*\* The stated weight is the technically permissible maximum weight. Additional options as well as legal and technical information regarding vehicle weights are available from page 3 f and page 31 ff of this price list and at configurator.knaus.com

## KNAUS LIVE I – Features and options

Item no.	in package/ option	Description: o = option   – = not available   s = standard equipment	KG	650 MEG	700 MEG	900 LEG
202570		17" alloy rims with tyres (235/60R17), black gloss front-polished in exclusive KNAUS design (3-axle) (Dependency: ABH23059, ABH14212, ABH14210, Note: H150)	-	-	-	o
202571		17" alloy rims with branded all-season tyres (235/60R17), titanium metallic painted in exclusive KNAUS design (3-axle) (Dependency: ABH23059, ABH14212, ABH14210, Note: H150)	-	-	-	o
203611		17" alloy rims with branded all-season tyres (235/60R17), titanium metallic painted in exclusive KNAUS design (3-axle) (Dependency: ABH23059, ABH14210, Note: H150, H161)	-	-	-	o
203612		17" alloy rims with branded all-season tyres (235/60R17), black gloss front-polished in exclusive KNAUS design (3-axle) (Dependency: ABH23059, ABH14210, Note: H150, H161)	-	-	-	o
<b>Air Conditioning / Interior</b>						
201686		Air conditioning in cab, automatic (extra charge from difference to manual air conditioning)	-	o	o	o
201519		Steering wheel and gear knob in leather	-	o	o	o
203730		Instrument panel in Techno design (aluminium)	-	o	o	o
201789	230400	High-quality fitted seat covers for driver's/passenger's seat in KNAUS fabric style	-	o	o	o
203804		AGUTI seats Premium (Dependency: ABH14216)	36	o	o	o
203803		AGUTI seats Exklusiv (Dependency: ABH14216)	24	o	o	o
201863	210011	Height adjustment for cab seats	-	o	o	o
102813	221005	Insulating glazing for cab side windows and doors with improved sound and thermal insulation	15	o	o	o
551988	221010, 221012	Insulating mat for total cab area	10	o	o	o
551989	221010, 221012	Insulating mat for cab foot area	1	o	o	o
551877		Front shading folding pleated blind, manual operation (extendable from above and below)	5	o	o	o
552500		Front shading folding pleated blind, electric drive (movable from above and below)	5	o	o	o
<b>Assistance Systems</b>						
201787	221010, 221012	"Traction Plus" traction aid, including Hill Descent Assist	-	o	o	o
202150		Tyre pressure sensors	1	o	o	-
203564		Tyre pressure sensors 3-axle AMC chassis	1	-	-	o
203729		Electric parking brake	-9	o	o	-
<b>Lighting / Technology</b>						
201043		Spare tyre	20	o	o	o
202712		Fuel tank 90 ltr.	13	o	o	o
202227		Additional car key with remote control (Dependency: ABH14174)	-	o	o	o
201630		Battery disconnect switch in driver's cab	-	o	o	o
203732	221010, 221012	230 V socket in driver's cab	-	o	o	o
<b>Multimedia / Navigation</b>						
252143	210006	All-in-one navigation system	2	o	o	o
203727		Inductive charging cradle (Dependency: ABH35620)	-	o	o	o
203725		Virtual cockpit	-	o	o	o
<b>Transport Systems</b>						
102273	100237, 200188	Maximum load capacity of the rear garage: 250 kg	20	o	o	s
200188		Trailer hitch, rigid (Dependency: ABH14028, ABH14027)	26	o	o	o
203933		Preparation for trailer hitch	-	o	o	o
102514		Bicycle carrier for 2 bikes, rear: THULE LIFT V16 (Dependency: ABH14030, Note: H157)	17	o	o	o
102515		Bicycle carrier for 3 bikes, rear: THULE LIFT V16 (Dependency: ABH14030, Note: H157)	18	o	o	o
102764		THULE garage organisation system 1	4	o	o	o
100237		Motorcycle holder, load capacity 120 kg (Dependency: ABH35624, ABH14218, ABH14027)	50	o	o	o
<b>Doors</b>						
102564		Body door: KNAUS PREMIUM	2	o	o	o
102610	221005	Body door: KNAUS EXKLUSIV	2	o	o	o
102577		Multifunctional bag in KNAUS design (Dependency: ABH17716)	-	o	o	o
100602	230400	Insect screen door	4	o	o	o
100212		Electrical entry step	7	o	o	o
<b>Service hatches / Garage doors</b>						
102522-03	221005	Service/storage space hatches and garage door/hatch with central locking (Dependency: ABH14038, ABH13912)	2	o	o	o
<b>Rear</b>						
100526-15		Garage door 80 x 110 cm, left (Dependency: ABH14220)	6	o	o	o

## KNAUS LIVE I – Features and options


Item no.	in package/ option	Description: o = option   – = not available   s = standard equipment	KG	650 MEG	700 MEG	900 LEG
100526-13		Garage door 80 x 80 cm, left (Dependency: ABH14048, ABH14047)	4	o	o	o
100526-14	551711	Garage door 80 x 80 cm, right (Dependency: ABH14048, ABH14222)	4	o	o	o
<b>Windows / Roof Hoods / Ventilation</b>						
101820		Frame window SEITZ S7	-	o	o	o
<b>Front</b>						
551778-01	230400	Roof hood (lift-tilt) 70 x 50 cm with insect screen and blackout, clear with lighting (bow)	8	o	o	o
102685		Panorama skylight 130 x 45 cm (bow)	12	-	-	o
101666-18		Hinged window 52 x 50 cm, on passenger side, height of seating group	6	-	o	-
101666-09		Hinged window 90 x 52 cm with insect screen and blackout, bow right	6	-	-	o
<b>Centre</b>						
102619-02		Roof hood 40 x 40 cm with insect screen and blackout, clear (centre)	3	o	o	s
<b>Rear</b>						
101944		Panorama skylight 130 x 45 cm (rear)	12	o	o	o
101019-02		Hinged window 70 x 40 cm, (rear left)	6	o	o	o
<b>Toilet Room</b>						
101666		Hinged window 52 x 50 cm with insect screen and blackout, toilet room	6	-	o	s
<b>Materials / Vehicle Graphics</b>						
<b>Materials</b>						
102216		TVT body construction	-	o	o	o
<b>Living / Sleeping / Upholstery and Fabrics</b>						
<b>Living</b>						
551770		L-shaped seating group with telescopic single-column lifting table (Dependency: ABH20383)	8	o	o	s
552247		ISOFIX system (2 child seats)	5	o	o	o
<b>Sleeping</b>						
552574		EvoPore HRC mattress incl. WaterGEL topper, fixed beds only	6	o	o	o
551711		Low single bed, incl. cabinet above the end of the bed (Dependency: ABH14054, ABH14222)	-15	o	o	o
551796		Bed extension to a double bed	2	o	o	o
552198	551770	Bed conversion of the seating group	2	o	o	s
552369		Fitted sheet set, precisely fitting for the mattress shape - for 2 beds (fixed beds)	1	o	o	o
<b>Upholstery / Fabrics / Carpets</b>						
<b>Upholstery Variants</b>						
552335-01		Upholstery selection: TURIN (FIAT)	-	o	o	o
552335-06		Upholstery selection: BLUE NIGHT	-	o	o	o
552188-02		Upholstery selection: ACTIVE ROYAL	-	o	o	o
552188-04		Upholstery selection: ACTIVE ROCK	-	o	o	o
550783-01		Upholstery selection: CREAM NATURE (genuine leather)	-	o	o	o
<b>COZY HOME Package consisting of: 2 decorative pillows, 2 sleeping pillows, 2 blankets, table runner</b>						
550660-06		COZY HOME Package, colour selection PEACH	3	o	o	o
550660-02		COZY HOME Package, colour selection STONE	3	o	o	o
550660-03		COZY HOME Package, colour selection AVOCADO	3	o	o	o
550660-04		COZY HOME Package, colour selection AQUA	3	o	o	o
550660-05		COZY HOME Package, colour selection MAGNOLIA	3	o	o	o
550660-01		COZY HOME Package, colour selection EARTH	3	o	o	o
<b>Carpets</b>						
201074		Floor mat set in driver's cab in KNAUS design	2	o	o	o
550235		Carpet floor in living area	6	o	o	o
<b>Kitchen / Bathroom</b>						
<b>Kitchen</b>						
402732		Refrigerator 177 ltr. with double door hinge (Dependency: ABH14226)	9	-	o	s
400369		Gas oven incl. grill function (installation location above refrigerator) (Dependency: ABH14229, ABH14230)	13	-	o	-
400369-01		Gas oven incl. grill function (installation location in the kitchen block) (Dependency: ABH14232)	13	o	o	o
<b>Bathroom Area</b>						
451777		Wooden grate for shower tray	2	-	o	o
453505-15		Longitudinal washroom with shower	-	-	s	-
453505-16		Comfort bathroom with shower and washbasin	-	s	-	-
453505-14		3D separate bathroom with separate shower	-	-	-	s
453503-01		Bench toilet Thetford	-	s	-	-

## KNAUS LIVE I – Features and options

Item no.	in package/ option	Description: o = option   – = not available   s = standard equipment	KG	650 MEG	700 MEG	900 LEG
		<b>Heating / Air conditioning / Gas Supply / Water Supply</b>				
		<b>Gas Supply</b>				
301057		Remote display DuoC (Ice Ex integrated) (Dependency: ABH13926)	-	o	o	o
301956		TRUMA MonoControl CS (incl. gas filter) (Dependency: ABH13928)	1	o	o	o
301957		TRUMA DuoControl CS (incl. gas filter) (Dependency: ABH13928)	1	o	o	o
302499		TRUMA LevelControl (for 1 steel gas bottle) (Dependency: ABH13930)	-	o	o	o
551327		Smoke detector	-	o	o	o
302494		Gas detector	-	o	o	o
300518		External gas socket	1	o	o	o
		<b>Heating / Air conditioning</b>				
351274		Heating TRUMA Combi E (Dependency: ABH14158)	1	o	o	o
550566-01		ALDE hot water heating incl. booster (Dependency: ABH14234, Note: H160)	41	o	o	o
550825		Electric underfloor heating	8	o	o	o
351880		Floor with hot water heating (Dependency: ABH14040)	10	o	o	o
352287		Cab floor mat with hot water heating (Dependency: ABH14040)	2	o	o	o
352966	550566-01	Heating control panel ALDE LCD (Dependency: ABH14040)	-	o	o	o
450740	230400	Insulating hood waste water tank, heatable	2	o	o	o
552052		Air conditioning DOMETIC Freshjet 2200 (OEM) (Dependency: ABH14236, Note: H145)	29	o	o	-
553715		Air conditioning Freshjet 3000 (Dependency: ABH13935, Note: H145)	29	-	-	o
		<b>Water Supply</b>				
452718-01	230400	"bluuwater" water filter system	1	o	o	o
452678-01		Exterior shower, connection in garage left	4	o	o	o
		<b>Electronics / Multimedia / Safety</b>				
		<b>Electronics</b>				
251949-09		USB socket in the rear (1 pc.)	-	o	o	o
250072-06		230 V SCHUKO socket, additional 1 pc. in kitchen	-	o	o	o
252524		Atmospheric ambient lighting	3	o	o	o
250201		Additional board battery (Dependency: ABH14066)	24	o	o	o
253747-01		Lithium-ion on-board batterie (instead of standard battery) (Dependency: ABH23031, ABH14066)	-8	o	o	o
253748-01		Additional Lithium-ion board battery (Dependency: ABH23034, ABH23061, ABH14066)	12	o	o	o
253749		Omission of on-board battery (Dependency: ABH23063)	-20	o	o	o
253782		Solar system (200 W) (Dependency: ABH13958)	17	o	o	o
		<b>Multimedia</b>				
252824-01	210073	Complete antenna system Oyster 60 Premium, Twin incl. 27" SMART-TV (Dependency: ABH14074, Note: H145)	22	o	o	o
253568-01		27" SMART TV set with HD tuner incl. holder (Dependency: ABH14078, ABH14077)	7	o	o	o
252448-01		21.5" SMART TV set with HD tuner incl. holder, in sleeping area (Dependency: ABH14080, ABH14077)	6	o	o	o
252479	210073	Pre-cabling for TV in the sleeping area	1	o	o	o
252405	210073, 252448-01, 253568-01	TV holder	3	o	o	o
		<b>Safety</b>				
252733	210020	Alarm system "Cobra"	4	o	o	o
252734	210020	Gas sensor as addition to the alarm system (Dependency: ABH13974)	-	o	o	o
252698	114580	velocate@ GPS tracker (Note: H146)	-	o	o	o
252815	114580	velocate@ LIFETIME license with unlimited, personal, EU-wide tracking (Dependency: ABH13976)	-	o	o	o
253809	114580	velocate@ sensors (gas, temperature, motion) (Dependency: ABH13978)	-	o	o	o
		<b>Awning / Awning Accessories</b>				
		<b>Awning THULE OMNISTOR</b>				
502318		Awning 455 x 250 cm, white	33	o	-	-
502805		Awning 500 x 250 cm, white	36	-	o	-
501272		Awning 600 x 275 cm, white	68	-	-	o
502359		LED light band for awning	-	-	-	o
		<b>Miscellaneous</b>				
951036		MOT and registration document	-	o	o	o
		<b>Accessories</b>				
952823	230400	MediKit voucher (Note: H137)	-	o	o	o
953757-01	230400	silwyREADY	-	o	o	o

# SUN I

## Technical specifications



### Important information

When selecting and configuring your vehicle, please note that any factory-fitted additional equipment will increase the actual weight of the vehicle and reduce the payload. The weight of the additional equipment ('packages', 'features' and 'options') stated on the following pages is the additional weight compared to the standard equipment for the respective layouts. The total weight of the configured additional equipment must not exceed the maximum weight of additional equipment specified by the manufacturer in their technical specifications. This value is calculated for each layout and used by Knaus Tabbert AG, as the manufacturer, to determine the maximum weight available for factory-fitted additional equipment.

The 'weight in road-worthy condition' stated in the technical specifications is a calculated nominal value which is subject to production-related fluctuations of up to  $\pm 5\%$ . These production-related tolerances of up to  $\pm 5\%$  are legally permissible and are shown separately in the technical specifications, after the calculated value. Since these legally permissible tolerances have a direct effect on the actual weight of your vehicle and thus also on the maximum weight of additional equipment, you must take them into account when configuring your vehicle.

The maximum weight of additional equipment specified by the manufacturer is intended to ensure that the legally prescribed 'minimum payload' is actually available for luggage and other accessories after delivery of the vehicle by the manufacturer. If, due to the selection of additional equipment, the actual weight of the vehicle increases to such an extent that, by calculating the difference between the actual vehicle weight and the technically permissible maximum weight, there is no longer sufficient payload capacity to carry the permitted number of passengers and the minimum payload, then (dependent on layout) you have a number of options in the configuration tool. In order to continue with the configuration, you may select an increase in vehicle load capacity, reduce the permitted number of seats when driving and/or deselect additional equipment. If this does not happen, you will be unable to continue configuring and therefore also ordering your vehicle. Detailed technical and legal information about vehicle weights is available from page 31 onwards and at [configurator.knaus.com](http://configurator.knaus.com).


Technical specifications	700 LEG	900 LEG	900 LX
<b>BASE VEHICLE</b>			
<b>FIAT Ducato 4.500 kg*** MAXI; 2.2 l 180 Multijet; front-wheel drive; Euro VI HD (132 kW / 180 HP) (Dependency: ABH18941)</b>	s	–	–
<b>FIAT Ducato 5.000 kg***; 2.2 l 180 Multijet; front-wheel drive; Euro VI HD (132 kW / 180 HP); 6-speed manual gearbox (Dependent on layout) (Dependency: ABH18941)</b>	–	s	s
<b>BASIC EQUIPMENT</b>			
Total length (cm)	765	882	882
Width (outside) (cm)	234	234	234
Width (inside) (cm)	218	218	218
Height (outside) (cm)	294	294	294
Height (inside) (cm)	200	200	200
Mass in running order (basic model without optional equipment but with basic equipment) (kg) (Note: H140)	3.630 (3.449 - 3.812)	4.065 (3.862 - 4.268)	4.065 (3.862 - 4.268)
Technically maximum authorised laden mass (kg)***	4.500	5.000	5.000
Maximum payload (kg)	528	581	581
Towing load (kg) (Note: H722)	2.000	1.500	1.500
Wheelbase (cm)	430	–	–
Tyre size	225/75R16 CP	225/75R16 CP	225/75R16 CP
Number of persons allowed in driving operation	4	4	4
Beds (Note: H141)	4	4	4
Max. number of beds (Note: H142)	4	4	4

\*\*\* The stated weight is the technically permissible maximum weight. Additional options as well as legal and technical information regarding vehicle weights are available from page 3 f and page 31 ff of this price list and at [configurator.knaus.com](http://configurator.knaus.com)

Please note the notes and dependencies from page 28  
Description: o = option | – = not available | s = standard equipment

# SUN I

## Technical specifications



Technical specifications	700 LEG	900 LEG	900 LX
Automatic three-point belts	2	2	2
Max. belt-secured seats	4	5	5
<b>BODY</b>			
Total number of hinged windows	4	6	6
Body door (width x height)	70 x 195	70 x 195	70 x 195
Wall thickness, roof (mm)	33	33	33
Wall thickness, side wall (mm)	33	33	33
Wall thickness, floor (mm)	36	36	36
<b>LIVING AREA</b>			
Three-point belts in driving direction	2	2	2
Bed size, lifting bed (cm)	200 x 150	200 x 150	200 x 150
Bed size, rear (cm)	198 x 85; 193 x 85	2 x 198 x 85	200 x 153
<b>WATER</b>			
Waste water volume in liters	170	170	170
Fresh water volume in liters (Note: H711B,H712G)	180	180	180
Fill level of the fresh water tank (liter)	40	40	40
<b>KITCHEN</b>			
Refrigerator (ltr.)	177	177	177
<b>ELECTRICAL SUPPLY</b>			
Living area battery	2 x 95	2 x 95	2 x 95
Number of 230 V socket(s)	10	10	10
Number of USB socket(s)	5	5	5

### KNAUS SUN I – Standard equipment

Motorisation / Drive / Gearing / Load increase	
203130	FIAT Ducato 5.000 kg***; 2.2 l 180 Multijet; front-wheel drive; Euro VI HD (132 kW / 180 HP); 6-speed manual gearbox (Dependent on layout) (Dependency: ABH18941)
202826	6-speed manual gearbox
Chassis / Climate Control / Multimedia	
202843-01	AL-KO AMC low-frame chassis
202844	Left-hand drive
201887	Coil spring on front axle
202852-01	Chassis uni paint: White
202132	16" tyres
212561-01	Steel rims (Dependency: ABH13884)
200176	Air conditioning in cab, manual including pollen filter and outside temperature display
201862	Driver airbag
200501	Passenger airbag
201789	High-quality fitted seat covers for driver's/passenger's seat in KNAUS fabric style
203804	AGUTI seats Premium
200633	Cab seats swivelling
103911	Body door KNAUS EXKLUSIV
102813	Insulating glazing for cab side windows and doors with improved sound and thermal insulation
552897	Front shading folding pleated blind, manual operation (laterally extendable)
200567	Tempomat® - Cruise Control
202871	ESP
202872	Hill Holder (Hill Start Assist)
202873	ABS
202874	Electronic immobiliser
202876	Electromechanical power steering
203755	Trailer Stability Control System
203756	Post Collision Braking System
222881	Crosswind Assist
202890	Fuel tank 75 ltr.
202891	Car key with remote control for central locking for cab doors
202892-01	Power windows (driver's door)
202894	Bus exterior mirrors hanging
102893	Passenger side with sliding window

202895 Exterior mirrors manually adjustable

202899 Full-LED front lighting

202137 LED daytime running light

102002 Chrome applications in radiator grill

102002-01 Carbon-look design on vehicle front

102595 Cab side window with black frame and sideblade under the side windows with chrome application, incl. model series lettering

250233 Radio preparation incl. 2 loudspeakers

102273-02 Maximum load capacity of the rear garage: 300 kg

**Doors**

102610 Body door: KNAUS EXKLUSIV

102577 Multifunctional bag in KNAUS design

100602 Insect screen door

100212 Electrical entry step

102840 One-key locking system

**Service hatches / Garage doors**

102911 Service/storage space hatches and garage door/hatch with one-hand operation

102915-03 KNAUS ServiceBox

102916-03 Service hatch for ServiceBox 2 x 60 x 60 cm, middle left

100526-41 Service hatch 100 x 55 with lighting, bow right (Dependent on layout)

100526-40 Service hatch 90 x 24 cm with lighting, bow left (Dependent on layout)

102914-14 Easy access to gas locker via the service door located in side wall, position lengthwise

102914-10 Gas locker for 2 x 11 kg gas bottles

100526-22 Garage door 100 x 120 cm, right

**Windows / Roof Hoods / Ventilation**

101820 Frame window SEITZ S7

102254 Roof hood 40 x 40 cm with insect screen and blackout, clear (over lifting bed)

102619-01 Roof hood 40 x 40 cm with insect screen and blackout, clear (bow)

102619-02 Roof hood 40 x 40 cm with insect screen and blackout, clear (centre)

102619-03 Roof hood 40 x 40 cm with insect screen and blackout, clear (rear)

101848 Roof hood (lift-tilt) 40 x 40 cm with insect screen and blackout, in shower/toilet room

**Materials / Vehicle Graphics**

102216 TVT body construction

100887 GRP roof with reduced hail sensitivity

102926-06 Smooth aluminium sheet in white

102927-09 Roof and inner side walls in aluminium sheet with fabric lining

102928-02 Sandwich floor with GRP underfloor coating

102928-08 Insulated garage floor with durable GRP floor coating

102928-09 Multi-purpose double floor

103552-01 Special product graphics with brushed stainless steel structure "SUN I"

**Lighting / Technology**

102933-21 Taillights with LED lighting elements

102933-12 Third brake light integrated at the rear

252937 Awning light with motion sensor LED

**Furniture / Surfaces**

552940-29 Furniture decor: Gentle Voyage in combination with haptic, natural matt front decor Toscana Ash dark brown, furniture handles in black chrome

552943-05 Work and table surfaces in super-matt finish, dark brown

552944-01 Vinyl flooring in yacht design

552941-16 Storage locker hatches with soft-close function

**Living / Sleeping / Upholstery and Fabrics**

551770 L-shaped seating group with telescopic single-column lifting table

552964-02 Cabinet on passenger side with integrated cup holder

552945-01 EvoPore HRC mattress, fixed beds only

552948 Lifting bed with low access in cab (Note: H147)

552335-02 Upholstery selection: INDIAN SUMMER

**Kitchen / Bathroom**

402985-01 3-burner cooker with glass cover, stainless steel sink, recessed (Dependency: ABH13918)

552941-17 Kitchen drawers with soft-close function

402732-01 Refrigerator 177 ltr.

402417 Automatic energy selection for refrigerator (AES)

402156 Kitchen multifunctional shelf (Plexiglas®)

402993-08 Kitchen worktop in slate look

453503-01 Bench toilet Thetford (Dependent on layout)

453502-07 High-quality fittings

453509-07 Folding clothes rail in the toilet room or shower

453505-14 3D separate bathroom with separate shower

**Heating / Air conditioning / Gas Supply / Water Supply**

302973 Gas system 30 mbar

302974 Gas hose version D/AT/ES/FI/BE/IT/NL/DK

302978 Gas regulator version D/AT/ES/FI/BE/IT/NL/DK

550566-01 ALDE hot water heating incl. booster (Dependency: ABH13932, Note: H160)

352966 Heating control panel ALDE LCD

453510-02 Water supply with pressure pump

453510-03 Hot water supply with single-lever mixer tap

453510-07 Water pipes laid in insulated area

453512 Waste water tank with electric drain valve with remote control switch in the cab

**Electronics / Multimedia / Safety**

253523-03 Power supply / interior lighting with 230 V Euro external connection, various SCHUKO / USB interior sockets

253526-03 Networked electrical system with central control panel

253531 2-fold circuit breaker

232667 Intelligent charger with 25 A charging power

251949-08 USB socket in the rear (4 pcs.)

252723 Charging booster for body battery

253534-22 Illuminated entry handle

253517 230 V SCHUKO sockets "D/AT/ES/FI/BE/IT/NL/DK/SE" version

252729 230 V SCHUKO socket, additional 1 pc. in garage

253534-03 Interior lighting in LED technology

252615-02 Intuitive lighting control operated via control panel and control button

253534-30 Dimmable contour lighting elaborately integrated in furniture construction, design language in typical KNAUS design

251757 Battery sensor for on-board battery

**Miscellaneous**

953542-01 Operating instruction (German)

**Accessories**

953543 10-year leak-proofness guarantee

952823 MediKit voucher (Note: H137)

953757-01 silwyREADY (Note: H137)

## KNAUS SUN I – Packages

Item no.	
<b>223001</b>	<b>SUN I Package (8 kg)</b>
200242	Electrically adjustable and heated exterior mirrors
201863	Height adjustment for cab seats
202478	Steering wheel with controls for radio
452606	Water filter system "BWT - Best-Camp S"
551778-01	Roof hood (lift-tilt) 70 x 50 cm with insect screen and blackout, clear with lighting (bow)

Item no.	
<b>221010</b>	<b>Arctic Package (11 kg)</b>
201787	"Traction Plus" traction aid, including Hill Descent Assist
203732	230 V socket in driver's cab
203808	All-weather tyres
551988	Insulating mat for total cab area
551989	Insulating mat for cab foot area

Item no.	
<b>221012</b>	<b>Arctic Package (11 kg)</b>
201787	"Traction Plus" traction aid, including Hill Descent Assist
203732	230 V socket in driver's cab
551988	Insulating mat for total cab area
551989	Insulating mat for cab foot area

Item no.	
<b>210105</b>	<b>MEDIA 10" FIAT - RM (3 kg)</b>
201519	Steering wheel and gear knob in leather
203725	Virtual cockpit
203727	Inductive charging cradle
203728	All-in-one navigation system with 10" display
203730	Instrument panel in Techno design (aluminium)
251793	Rear view camera incl. wiring

Item no.	
<b>210075</b>	<b>TV Package Twin 32" - Oyster 60 (30 kg)</b>
252283	Electric TV comfort pull-out in living area
252479	Pre-cabing for TV in the sleeping area
252581-01	Complete antenna system Oyster 60 Premium, Twin incl. 32" SMART-TV If this option is selected, the vehicle height increases by approx. 11 cm

Item no.	
<b>210006</b>	<b>Media Package (4 kg)</b>
251793	Rear view camera incl. wiring
252143	All-in-one navigation system
252715	Head-up display

Item no.	
<b>114580</b>	<b>Connected-Security-Package for velocate® GPS-Tracker</b>
252698	velocate® GPS tracker
252815	velocate® LIFETIME license with unlimited, personal, EU-wide tracking
253809	velocate® sensors (gas, temperature, motion) In addition, the hardware is prepared to be expanded via optional sensors (e.g. door/window contact). For more information, please visit <a href="http://www.velocate.com">www.velocate.com</a>

Item no.	
<b>210089</b>	<b>TV Package Quad 40" (29 kg)</b>
252384	Complete antenna system Oyster V Premium 85, Quad
252480	Pre-cabing for TV2 and TV3
253569	39" SMART TV device with HD tuner incl. electric TV comfort drawer, in living area If this option is selected, the vehicle height increases by approx. 11 cm

Item no.	
<b>210020</b>	<b>Safety I Package (4 kg)</b>
252733	Alarm system "Cobra"
252734	Gas sensor as addition to the alarm system

Item no.	
<b>223010</b>	<b>Air conditioning Package with inverter (41 kg)</b>
252433-01	Inverter (VICTRON EasyPlus 1600 VA, 3000 Watt peak power)
552540-01	Air conditioning DOMETIC Freshjet 1700, in the rear If this option is selected, the vehicle height increases by approx. 11 cm

## KNAUS SUN I – Features and options

Item no.	in package/ option	Description: o = option   – = not available   s = standard equipment	KG	700 LEG	900 LEG	900 LX
<b>Motorisation / Drive / Gearing / Load increase</b>						
<b>FIAT Ducato</b>						
<b>Heavy Duty Chassis</b>						
203130-01		FIAT Ducato 4.500 kg**** MAXI; 2.2 l 180 Multijet; front-wheel drive; Euro VI HD (132 kW / 180 HP) (Dependency: ABH18941)	-	s	-	-
<b>Gearing</b>						
202711		9-speed torque converter automatic transmission (Dependency: ABH19854)	18	o	o	o
<b>Load Increase</b>						
202320		Load increase from 5.000 kg**** to 5.500 kg**** (Dependency: ABH23015, Note: H722)	-	-	o	o
552362		Extra folding seat, seat position in driving direction (Dependency: ABH13876)	14	-	o	o
<b>Chassis / Climate Control / Multimedia</b>						
101888		Cab entry step, electric	7	o	o	o
200394		Crank supports, rear	4	o	o	o
202789		AL-KO HY4 - Hydraulic lifting support system (Dependency: ABH13878)	84	o	o	o
200393		Air suspension system (3-axle) - AL-KO Air Premium X2 for rear axles (Dependency: ABH13880)	50	-	o	o
202330		Air suspension system (3-axle) - AL-KO Air Premium X4 for front and rear axles (Dependency: ABH13882)	55	-	o	o
<b>Tyres</b>						
203808	202568, 202569, 221010	All-weather tyres	-	o	-	-
200868		Wheel covers in KNAUS design (Dependency: ABH13886)	2	o	o	o
201815		Alloy rims for standard tyres (Dependency: ABH13888)	-	o	-	-
201026		Alloy rims for standard tyres (Dependency: ABH13884, ABH13888)	-	-	o	o
202568		17" alloy rims with branded all-season tyres (235/60R17), black gloss front-polished in exclusive KNAUS design (Dependency: ABH23017, ABH13892, ABH13893, Note: H150)	7	o	-	-
202569		17" alloy rims with branded all-season tyres (235/60R17), titanium metallic painted in exclusive KNAUS design (Dependency: ABH23017, ABH13892, ABH13893, Note: H150)	7	o	-	-

Item no.	in package/ option	Description: o = option   – = not available   s = standard equipment	KG	700 LEG	900 LEG	900 LX
202570		17" alloy rims with tyres (235/60R17), black gloss front-polished in exclusive KNAUS design (3-axle) (Dependency: ABH23015, ABH13896, Note: H150)	-	-	o	o
202571		17" alloy rims with branded all-season tyres (235/60R17), titanium metallic painted in exclusive KNAUS design (3-axle) (Dependency: ABH23015, ABH13896, Note: H150)	-	-	o	o
<b>Air Conditioning / Interior</b>						
201686		Air conditioning in cab, automatic (extra charge from difference to manual air conditioning)	-	o	o	o
201519	210105	Steering wheel and gear knob in leather	-	o	o	o
203730	210105	Instrument panel in Techno design (aluminium)	-	o	o	o
203805		AGUTI seats Exklusiv	24	o	o	o
551988	221010, 221012	Insulating mat for total cab area	10	o	o	o
551989	221010, 221012	Insulating mat for cab foot area	1	o	o	o
552322		Front shading folding pleated blind, electric drive (movable from above and below)	11	o	o	o
551878		Front shading roller shutters, electric drive	11	o	o	o
<b>Assistance Systems</b>						
201787	221010, 221012	"Traction Plus" traction aid, including Hill Descent Assist	-	o	o	o
202580		Exterior mirrors including Blind Spot System with display monitor on the dashboard	-	o	o	o
202150		Tyre pressure sensors	1	o	-	-
203564		Tyre pressure sensors 3-axle AMC chassis	1	-	o	o
<b>Lighting / Technology</b>						
201043		Spare tyre	20	o	o	o
202712		Fuel tank 90 ltr.	13	o	o	o
202227		Additional car key with remote control (Dependency: ABH13898)	-	o	o	o
101977		Windscreen heated	1	o	o	o
201630		Battery disconnect switch in driver's cab	-	o	o	o
203732	221010, 221012	230 V socket in driver's cab	-	o	o	o
<b>Multimedia / Navigation</b>						
252143	210006	All-in-one navigation system	2	o	o	o
203728	210105	All-in-one navigation system with 10" display (Dependency: ABH13900, ABH35096)	2	o	o	o

\*\*\*\* The stated weight is the technically permissible maximum weight. Additional options as well as legal and technical information regarding vehicle weights are available from page 3 F and page 31 ff of this price list and at configurator.knaus.com

## KNAUS SUN I – Features and options

Item no.	in package/ option	Description: o = option   – = not available   s = standard equipment	KG	700 LEG	900 LEG	900 LX
203727	210105	Inductive charging cradle (Dependency: ABH35620)	-	o	o	o
203725	210105	Virtual cockpit	-	o	o	o
		<b>Transport Systems</b>				
202332		Trailer hitch, ball bar removable	30	o	o	o
203933		Preparation for trailer hitch	-	o	o	o
101800		Orga-Fix garage organisation system 2	2	o	o	o
102331		Storage boxes for garage (3 pieces) (Dependency: ABH13908)	7	-	o	o
		<b>Service hatches / Garage doors</b>				
102522-01		Service/storage space hatches and garage door/hatch with central locking (Dependency: ABH13912)	2	o	o	o
		<b>Front</b>				
100526-43		Storage hatch 70 x 24 cm, left	2	s	-	-
		<b>Rear</b>				
100526-21		Garage door 100 x 120 cm, left	8	o	o	o
		<b>Front</b>				
551778-01	223001	Roof hood (lift-tilt) 70 x 50 cm with insect screen and blackout, clear with lighting (bow)	8	o	o	o
		<b>Rear</b>				
101944		Panorama skylight 130 x 45 cm (rear) (Dependency: ABH13914)	12	o	o	-
		<b>Living / Sleeping / Upholstery and Fabrics</b>				
		<b>Living</b>				
552327		Safe	6	o	o	o
		<b>Sleeping</b>				
552574		EvoPore HRC mattress incl. WaterGEL topper, fixed beds only	6	o	o	o
552028		Heatable comfort foam mattress	2	o	o	o
551796		Bed extension to a double bed	2	o	o	-
552360		Fitted sheet set, precisely fitting for the mattress shape (for rear bed and lifting bed)	1	o	o	o
		<b>Upholstery / Fabrics / Carpets</b>				
		<b>Upholstery Variants</b>				
552335-09		Upholstery selection: MODERN CREAM	-	o	o	o
552326		Upholstery selection: DARK COFFEE (genuine leather)	-	o	o	o
552326-03		Upholstery selection: ECRU (genuine leather)	-	o	o	o
552326-02		Cushion selection: CREAM NATURE (genuine leather)	-	o	o	o

Item no.	in package/ option	Description: o = option   – = not available   s = standard equipment	KG	700 LEG	900 LEG	900 LX
		<b>COZY HOME Package consisting of: 2 decorative pillows, 2 sleeping pillows, 2 blankets, table runner</b>				
550660-06		COZY HOME Package, colour selection PEACH	3	o	o	o
550660-02		COZY HOME Package, colour selection STONE	3	o	o	o
550660-03		COZY HOME Package, colour selection AVOCADO	3	o	o	o
550660-04		COZY HOME Package, colour selection AQUA	3	o	o	o
550660-05		COZY HOME Package, colour selection MAGNOLIA	3	o	o	o
550660-01		COZY HOME Package, colour selection EARTH	3	o	o	o
		<b>Carpets</b>				
201074		Floor mat set in driver's cab in KNAUS design (Dependency: ABH13916)	2	o	o	o
550235		Carpet floor in living area	6	o	o	o
		<b>Kitchen / Bathroom</b>				
		<b>Kitchen</b>				
400369		Gas oven incl. grill function (installation location above refrigerator)	13	o	o	o
402358		Arrangement system for kitchen drawers	2	o	o	o
		<b>Bathroom Area</b>				
453503-03		Cassette toilet DOMETIC swivelling	-	s	-	-
452356		Macerator toilet (Dependency: ABH13922, ABH31394)	50	-	o	o
452356-01		Macerator toilet (Dependency: ABH13922, ABH31394)	50	o	-	-
452361		SOG toilet ventilation (Dependency: ABH13908)	-	-	o	o
452678-01		Exterior shower, connection in garage left (Dependency: ABH13924)	4	o	o	o
		<b>Heating / Air conditioning / Gas Supply / Water Supply</b>				
		<b>Gas Supply</b>				
301057		Remote display DuoC (Ice Ex integrated) (Dependency: ABH13926)	-	o	o	o
301956		TRUMA MonoControl CS (incl. gas filter) (Dependency: ABH13928)	1	o	o	o
301957		TRUMA DuoControl CS (incl. gas filter) (Dependency: ABH13928)	1	o	o	o
302499		TRUMA LevelControl (for 1 steel gas bottle) (Dependency: ABH13930)	-	o	o	o
300518		External gas socket	1	o	o	o

## KNAUS SUN I – Features and options

Item no.	in package/ option	Description: o = option   – = not available   s = standard equipment	KG	700 LEG	900 LEG	900 LX
<b>Heating / Air conditioning</b>						
352287		Cab floor mat with hot water heating	2	o	o	o
351880		Floor with hot water heating	10	o	o	o
552275		Air conditioning TRUMA Aventa comfort (Dependency: ABH13936, ABH13935, Note: H145)	30	o	o	o
<b>Water Supply</b>						
252546		Assistance camera for emptying the waste water tank (Dependency: ABH13906)	-	o	o	o
452606	223001	Water filter system "BWT - Best-Camp S"	2	o	o	o
<b>Electronics / Multimedia / Safety</b>						
<b>Electronics</b>						
250072-06		230 V SCHUKO socket, additional 1 pc. in kitchen	-	o	o	o
552321		Atmospheric ambient lighting	3	o	o	o
252434		Additional third AGM board battery (Dependency: ABH13942)	24	-	o	o
253922		Two Lithium-ion on-board batteries (instead of standard batteries) (Dependency: ABH13946, ABH13945)	-20	o	-	-
253761		Three Lithium-ion on-board batteries (instead of two standard batteries) (Dependency: ABH13950, ABH13949)	-8	-	o	o
252433-01	223010	Inverter (VICTRON EasyPlus 1600 VA, 3000 Watt peak power) (Dependency: ABH13953, ABH13954)	12	o	o	o
253782		Solar system (200 W) (Dependency: ABH13958)	17	o	o	o
<b>Multimedia</b>						
252384	210089	Complete antenna system Oyster V Premium 85, Quad (Dependency: ABH13960, Note: H145)	15	-	o	o
252581-01	210075	Complete antenna system Oyster 60 Premium, Twin incl. 32" SMART-TV (Dependency: ABH13963, ABH13964, Note: H145)	23	o	-	-
252284		32" TV device with HD tuner (Dependency: ABH13963)	5	o	-	-
252283	210075	Electric TV comfort pull-out in living area (Dependency: ABH13966)	6	o	-	-
253569	210089	39" SMART TV device with HD tuner incl. electric TV comfort drawer, in living area	13	-	o	o
253742		39" SMART TV device with HD tuner incl. holder, in sleeping area (Dependency: ABH13968)	12	-	-	o
252448-01		21.5" SMART TV set with HD tuner incl. holder, in sleeping area (Dependency: ABH13968)	6	o	o	-

Item no.	in package/ option	Description: o = option   – = not available   s = standard equipment	KG	700 LEG	900 LEG	900 LX
252442-01		TV drawer in outdoor area/double floor incl. 32" SMART TV set with HD tuner incl. 2 Bluetooth headphones (Dependency: ABH13971, ABH13972)	19	-	o	o
252479	210075	Pre-cabling for TV in the sleeping area	1	o	-	-
252480	210089	Pre-cabling for TV2 and TV3	1	-	o	o
<b>Safety</b>						
252733	210020	Alarm system "Cobra"	4	o	o	o
252734	210020	Gas sensor as addition to the alarm system (Dependency: ABH13974)	-	o	o	o
252698	114580	velocate® GPS tracker (Note: H146)	-	o	o	o
252815	114580	velocate® LIFETIME license with unlimited, personal, EU-wide tracking (Dependency: ABH13976)	-	o	o	o
253809	114580	velocate® sensors (gas, temperature, motion) (Dependency: ABH13978)	-	o	o	o
<b>Awning / Awning Accessories</b>						
<b>Awning THULE OMNISTOR</b>						
501272		Awning 600 x 275 cm, white	68	-	o	o
500817		Awning 500 x 275 cm, white	58	o	-	-
502359		LED light band for awning (Dependency: ABH13980)	-	o	o	o
<b>Miscellaneous</b>						
951036		MOT and registration document	-	o	o	o

## General notes

H140	Mass in running order based on the homologated basic model
H722	Max. 6.000 kg total traction weight
H141	Please note that the number of beds indicated may include beds for both adults and children. The beds do not have the same dimensions. We therefore recommend that you consult your KNAUS dealer about the dimensions of the beds provided in the vehicle so that you can decide whether they are suitable for the occupancy (adults/children) you intend to have.
H142	For some models, additional equipment must be selected in order to achieve the maximum possible beds. Your KNAUS dealer will be happy to advise you.
H711B	The fresh water tank capacity referred to schedule V, part A, no. 2.6. footnote (h) VO (EU) 1230/2012 is limited by a overflow valve to 40 ltr. (suggested filling for running order)
H712G	The fresh water tank capacity is 180 ltr. with the overflow valve closed.
H150	H150 This option must be filled in once in the vehicle documents when the vehicle is first registered. The certificate required for the registration is supplied with the vehicle documents. Please contact your WEINSBERG dealer for more information before ordering.
H147	Maximum loadability 250 kg
H160	Depending on the layout, one or more boosters are included to increase the heat output
H145	If this option is selected, the vehicle height increases by approx. 11 cm
H146	In addition, the hardware is prepared to be expanded via optional sensors (e.g. door/window contact). For more information, please visit <a href="http://www.velocate.com">www.velocate.com</a>
H137	A voucher to redeem the medicine set is enclosed with the vehicle. The medicine set contains medicines that must be purchased from a pharmacy. The voucher can therefore only be redeemed at the responsible MediKit mail-order pharmacy at <a href="http://www.medikit.shop">www.medikit.shop</a> . You can also obtain further information about your MediKit at <a href="http://www.medikit.shop">www.medikit.shop</a> .
H02	Info: Please note that if you do not order the FIAT package, the delivery time of the vehicle will be extended considerably.
H711	The fresh water tank capacity referred to schedule V, part A, no. 2.6. footnote (h) VO (EU) 1230/2012 is limited by a overflow valve to 10 ltr. (suggested filling for running order)
H712C	The fresh water tank capacity is 100 ltr. with the overflow valve closed.
H161	Available only with Styling Package
H157	Please note that mounting the bicycle carrier on the rear wall limits the field of view of the reversing camera.
H149	If ALDE hot water heating is selected, panel is replaced by ALDE LCD control panel.
H05	Info: Please note that if you do not order the MAN package, the delivery time of the vehicle will be extended by 3-6 months.
H712B	The fresh water tank capacity is 95 ltr. with the overflow valve closed.
H96	Please note: This engine variant is only eligible for first-time registration in Germany!
H129	Incl. emergency brake assistant for automatic transmission (for distance-controlled cruise control ACC up to 160km/h)
H94	Info: Please note that if you do not order the VW package, the delivery time of the vehicle will be extended by 3-6 months.

## General dependencies

ABH13876	Not possible in combination with 252442-01
ABH13878	Not possible in combination with 200393 and 202330
ABH13880	Not possible in combination with 202330
ABH13882	Not possible in combination with 200393
ABH13884	Only in combination with 202132
ABH13886	Only in combination with 212561-01
ABH13888	Replaces 200868
ABH13892	Includes 203808
ABH13893	Replaces 201815 and 212561-01 and 200868
ABH13896	Replaces 201026 and 212561-01
ABH13898	Not possible in combination with 102522-01
ABH13900	Only in combination with 203726 and 201686
ABH13904	Only in combination with 203728 or 252143
ABH13906	Only in combination with 252143
ABH13908	Not possible in combination with 452356
ABH13912	Not possible in combination with 202227
ABH13914	Not possible in combination with 552540-01 or 552964-24
ABH13916	Not possible in combination with 352287
ABH13918	Includes 953554 and 953555
ABH13922	Not possible in combination with 102331
ABH13924	Only in combination with 100526-21
ABH13926	Only in combination with 301957
ABH13928	Replaces 302978 and 302979 and 302980 and 302981
ABH13930	Only in combination with 352380
ABH13932	Includes 351945
ABH13935	Replaces 102619-02
ABH13936	Not possible in combination with 913917
ABH13939	Replaces 102619-03
ABH13940	Not possible in combination with 101944
ABH13942	Only in combination with 250201-01 and 250201-02
ABH13945	Replaces 253749-01 and 251757
ABH13946	Not possible in combination with 253748-04 and 253748-03 and 250201-01 and 253748-02 and 253748-03 and 913921 and 250201-02 and 913929
ABH13949	Replaces 251757 and 253749-01 and 252434
ABH13950	Not possible in combination with 252434 and 913915 and 253748-04 and 253748-03 and 250201-01 and 250201-02 and 253748-02 and 253748-03 and 913930
ABH13953	Only in combination with FR0363332*, FR0363339*-253761 or 252434
ABH13954	Not possible in combination with 253749-01
ABH13956	Not possible in combination with 253782
ABH13958	Not possible in combination with 253802

## General dependencies

ABH13960	Only in combination with 253569	ABH14077	Includes 252405	ABH14218	Not possible in combination with 102514 or 102515 or 102735-01
ABH13963	Only in combination with 252283	ABH14078	Not possible in combination with 252824-01 or 252825-01	ABH14220	Not possible in combination with 551711
ABH13964	Not possible in combination with 252284	ABH14080	Only in combination with 252479	ABH14222	Replaces 100526-16
ABH13966	Only in combination with 252284 or 252581-01 or 252627-01	ABH14082	Only in combination with 225110-02	ABH14226	Includes 402417
ABH13968	Only in combination with 252480	ABH14084	Includes 222859	ABH14229	Only in combination with 402732
ABH13971	Only in combination with 210089	ABH14086	Only in combination with 232660-02	ABH14230	Not possible in combination with 400369-01
ABH13972	Not possible in combination with 552362	ABH14090	Includes 222645	ABH14232	Not possible in combination with 400369
ABH13974	Only in combination with 252733	ABH14091	Only in combination with 225010	ABH14234	Includes 352966 and 351945
ABH13976	Only in combination with 252698	ABH14092	Not possible in combination with 232845	ABH14236	Not possible in combination with 102619-02 and 913916
ABH13978	Only in combination with 252698 and 252815	ABH14094	Only in combination with 222629 or 233602	ABH14244	Not possible in combination with 201781-01 or 201781-02 or 201869-01 or 201869-02
ABH13980	Only in combination with 501272	ABH14096	Replaces 202887	ABH14251	Replaces 100526-33
ABH13982	Not possible in combination with 253568-01	ABH14098	Not possible in combination with 552768-01	ABH14252	Only in combination with 552473
ABH13984	Not possible in combination with 230020	ABH14104	Only in combination with 222645	ABH14254	Not possible in combination with 552473
ABH13990	Not possible in combination with 201781-01 or 201781-02	ABH14107	Only in combination with 222642	ABH14257	Replaces FR1549377*:100526-16
ABH14000	Not possible in combination with 202060	ABH14108	Not possible in combination with 233602	ABH14258	Only in combination with FR1549377*:551711
ABH14002	Not possible in combination with 202766	ABH14110	Not possible in combination with 222629	ABH14260	Replaces 100526-30
ABH14004	Only in combination with 203718	ABH14112	Only in combination with 102273	ABH14262	Not possible in combination with FR1544399*:252825-01
ABH14006	Only in combination with 202139	ABH14114	Not possible in combination with 102514 or 102515	ABH14264	Not possible in combination with FR1544345* and FR1544399* and FR1549377* and FR1548399*:252825-01 and 913916
ABH14008	Only in combination with 152828 or 202132	ABH14116	Replaces 252825-01	ABH14266	Not possible in combination with 230023 or 230025-01
ABH14010	Only in combination with 212561-01 and 202132	ABH14118	Includes 352966 and 351945-01	ABH14270	Includes 251925
ABH14013	Replaces 202200 or 200868	ABH14128	Not possible in combination with 252582-01	ABH14272	Only in combination with 301957 or 302465
ABH14014	Only in combination with 210010	ABH14130	Not possible in combination with 225110	ABH14274	Only in combination with 550566-01
ABH14018	Not possible in combination with 210051 or 210052 or 210030	ABH14134	Not possible in combination with 201781-05 or 232769	ABH14276	Replaces 253526-02
ABH14021	Includes 203808	ABH14136	Not possible in combination with FR0946236*:100237	ABH14278	Not possible in combination with 230008
ABH14024	Includes 202137	ABH14148	Not possible in combination with FR0946236*:200394 and 102514 or 102515	ABH14284	Not possible in combination with 222005
ABH14027	Includes 102273	ABH14150	Only in combination with 102610 or 102576	ABH14288	Not possible in combination with 230020 or 230025-02
ABH14028	Not possible in combination with 102735-01	ABH14152	Replaces 102923-04	ABH14297	Replaces 201815 and 212561-01 and 202200 and 200868
ABH14030	Not possible in combination with 100237	ABH14156	Not possible in combination with FR0942277*:252627-01	ABH14302	Not possible in combination with 102522-02
ABH14036	Not possible in combination with 102514 or 102515 or 102735-01	ABH14158	Only in combination with 351166	ABH14304	Replaces 552198
ABH14038	Only in combination with 102610	ABH14162	Only in combination with 252405 or 252283	ABH17575	Only in combination with 225050-01 or 225053-01
ABH14040	Only in combination with 550566-01 or 352533-01	ABH14164	Not possible in combination with 252581-01 or 252627-01	ABH17716	Only in combination with 102839
ABH14043	Replaces FR0544377*, FR0549377*:100526-16	ABH14166	Not possible in combination with 230025 or 230023	ABH17718	Not possible in combination with 201781-02 or 232769
ABH14044	Only in combination with FR0544377*, FR0549377*:551711	ABH14174	Not possible in combination with 102522-03	ABH18941	Only in combination with 200318:202711
ABH14047	Replaces 100526-15	ABH14176	Not possible in combination with 100237 or 102735-01	ABH18944	Only in combination with FR0544345*, FR0544377*:202711 and FR0549377*:200318:202711
ABH14048	Only in combination with 551711	ABH14178	Not possible in combination with 252825-01	ABH18945	Not possible in combination with FR0549377*:200318:202826
ABH14050	Not possible in combination with 552052 or 913916	ABH14184	Not possible in combination with 230006 or 230009	ABH18948	Only in combination with FR0549377*:203587 and 200318:202711
ABH14054	Includes 100526-14	ABH14196	Not possible in combination with 201781-01 or 201781-02 or 201869-01 or 201869-02 or 202320	ABH18949	Not possible in combination with 201781-01 or 201781-02 and 200318:202826
ABH14056	Only in combination with 551770	ABH14198	Only in combination with 210011	ABH18951	Only in combination with 202711
ABH14058	Only in combination with 352971 or 351166	ABH14202	Not possible in combination with 221006		
ABH14060	Includes 352966 and 351945 and 252578	ABH14210	Replaces 201026 and 212561-01 and 200868		
ABH14064	Not possible in combination with 913916	ABH14212	Not possible in combination with 221008		
ABH14066	Replaces 253749	ABH14216	Replaces 201789		
ABH14074	Only in combination with 252405				

## General dependencies

ABH18954	Only in combination with FR1244377*:202711 and FR1249377*:200318:202711	ABH23034	Only in combination with 253747-01 or 913913-01 or 253748-05 or 913914-03	ABH23091	Only in combination with 203082-99 or 203084-99 or 203128 or 203129 or 203137
ABH18955	Not possible in combination with FR1249377*:200318:202826	ABH23035	Not possible in combination with 250201 and 253747-01 and 250201-01	ABH23093	Only in combination with 210051 or 210052 or 210030 and 203082-99 or 203084-99 or 203128 or 203129 or 203137
ABH18958	Only in combination with FR1249377*:203587 and FR1244377*:202711 and FR1249377*:200318:202711	ABH23037	Not possible in combination with 250201 and 251757 and 913913-01 and 250201-01 and 253748-05	ABH23842	Not possible in combination with 253747-01 or 253748-01 or 253749 or 913913-01 or 253748-05 or 913914-01 or 913914-03
ABH18959	Not possible in combination with 201781-01 or 201781-02 and FR1249377*:200318:202826	ABH23039	Not possible in combination with 250201 and 251757 and 913914-01 and 250201-01	ABH29842	Replaces 212561
ABH18962	Only in combination with FR1260377*:200318:202711	ABH23041	Not possible in combination with 253747-01 or 253748-01 or 253749 or 913913-01 or 913914-01 or 253748-05 or 913914-03	ABH29844	Includes 224176
ABH18963	Not possible in combination with FR1260377*:200318:202826	ABH23043	Not possible in combination with 250201 and 251757 and 913913-01 and 253748-05 and 250201-01	ABH29846	Only in combination with 224133
ABH18966	Only in combination with FR1544387*, FR1544345*, FR1544399*:202711 and FR1549377*, FR1548399*:200318:202711	ABH23045	Not possible in combination with 203082-99 or 203115-99 or 203128 or 203136	ABH29848	Only in combination with 224142
ABH18967	Not possible in combination with FR1549377*, FR1548399*:200318:202826	ABH23045	Not possible in combination with 203082-99 or 203115-99 or 203128 or 203136	ABH29850	Only in combination with 224140
ABH18969	Only in combination with FR1549377*, FR1548399*:203587 and 200318:202711	ABH23053	Only in combination with 203001-99 or 203004-99 or 203082-99 or 203128	ABH29852	Only in combination with 224134
ABH18977	Not possible in combination with FR1834245*:200318	ABH23055	Only in combination with 203082-99 or 203128 or 203129	ABH29854	Only in combination with 224147
ABH18980	Only in combination with FR2144345*, FR2144377*:202711 and FR2149377*:200318:202711	ABH23057	Only in combination with 221006 and 203082-99 or 203128 or 203129	ABH29857	Includes 224152
ABH18981	Not possible in combination with FR2149377*:200318:202826	ABH23059	Only in combination with 203128	ABH29858	Only in combination with 224058
ABH18983	Only in combination with 200318:202711 and FR2149377*:203587	ABH23061	Not possible in combination with 250201 and 913914-01 and 250201-01	ABH29860	Replaces 224070-01
ABH19587	Includes NEUBEREIFUNGMAN1	ABH23063	Not possible in combination with 253748-01 or 253747-01 or 250201 or 913913-01 or 913914-01	ABH29862	Only in combination with 224148
ABH19854	Only in combination with 223001	ABH23065	Only in combination with 203001-99 or 203004-99 or 203004 or 203082-99	ABH30023	Only in combination with 224148 and 224167 and 224134
ABH19856	Only in combination with 233602 and 222645	ABH23067	Only in combination with 210051 or 210052 and 203082-99 or 203084-99 or 203128 or 203129	ABH30111	Only in combination with 203004 or 203004-99 or 203001-99
ABH20383	Includes 552198	ABH23070	Only in combination with FR1644377*, FR1644345*:202711 and FR1649377*:200318:202711	ABH30113	Only in combination with 203082-99 or 203084-99 or 203128 or 203129 or 203137 or 203004-99 or 203101-99
ABH21911	Not possible in combination with 552768-02	ABH23071	Not possible in combination with FR1649377*:200318:202826	ABH30177	Only in combination with 351166 or 354173
ABH22106	Only in combination with 224030	ABH23073	Only in combination with FR1649377*:203587 and 200318:202711	ABH30362	Only in combination with 100526-33
ABH22108	Includes 224039	ABH23075	Only in combination with 203001-99 or 203004-99 or 203101-99	ABH30602	Includes 224196
ABH22110	Only in combination with 224037	ABH23077	Only in combination with 203001-99 or 203004-99 or 203101-99 or 203082-99	ABH30603	Only in combination with 224141 and 224131
ABH22112	Only in combination with 224070 or 224071	ABH23079	Only in combination with 222005	ABH30609	Only in combination with 224195
ABH22114	Not possible in combination with 224035	ABH23081	Includes 352966	ABH30943	Only in combination with 203007-99 or 203102-99 or 203129 or 203007
ABH22117	Only in combination with 224072	ABH23083	Only in combination with 203084-99 or 203115-98	ABH31041	Replaces 952791
ABH22118	Not possible in combination with 224070	ABH23085	Only in combination with 203007-99 or 203104-99 or 203129 or 203137	ABH31045	Only in combination with 224141 or 224195 or 224154
ABH23015	Only in combination with 203130	ABH23087	Only in combination with 203001-99 or 203004-99 or 203101-99 or 203082-99 or 203128	ABH31394	Replaces 453503-01 and 453503-03
ABH23017	Only in combination with 203130-01	ABH23089	Only in combination with FR2149377*:201781-01 or 201781-02 or 201869-01 or 203007-99 or 203082-99 or 203084-99 or 203115-98 or 203128 or 203137 or 203129	ABH31396	Replaces 202200 and 200868
ABH23019	Only in combination with 203001-99 or 203004-99 or 203004			ABH31398	Includes 552198 and 552198-02
ABH23021	Only in combination with 203084-99			ABH31400	Only in combination with 552247-01
ABH23023	Only in combination with 203007-99 or 203104-99 or 203129			ABH34245	Not possible in combination with 201781-01 or 201781-02 and 200318
ABH23025	Only in combination with 203082-99 or 203084-99 or 203128 or 203129			ABH35096	Not possible in combination with 252546
ABH23027	Only in combination with 210051 or 210052 or 210030 and 203082-99 or 203084-99 or 203128 or 203129			ABH35620	Only in combination with 201686
ABH23029	Only in combination with 203728 or 252143 or 253758			ABH35622	Not possible in combination with 203731
ABH23031	Not possible in combination with 250201 and 913913-01 and 250201-01 and 253748-05			ABH35624	Only in combination with 203933
				ABH35626	Only in combination with 234225 or 233602
				ABH35628	Only in combination with 232700
				ABH35632	Only in combination with 201781-05 or 232769 and 232700-01

**FOR LEISURE VEHICLES MADE BY KNAUS, AS PART OF THE GUARANTEE CONDITIONS WHICH APPLY UPON HANDOVER OF THE VEHICLE AND IN ADDITION TO YOUR STATUTORY WARRANTY, WE PROVIDE A 10-YEAR NO-LEAK GUARANTEE ON THE VEHICLE BODY MANUFACTURED BY US.**

**PLEASE NOTE THE FOLLOWING IMPORTANT INFORMATION FOR ALL KNAUS LEISURE VEHICLES:**

**ABOUT THIS PRICE LIST:**

The contents correspond to the status of printing in 01/2023.

The price list is valid as from 01/2023 for the 2023 model year. Previous price lists, brochure information and technical data are no longer valid in regards to the vehicles offered.

Errors and misprints excepted.

**ABOUT TECHNICAL SPECIFICATIONS AND ILLUSTRATIONS:**

We advise you to have any additions, alterations or installations carried out exclusively by authorised KNAUS dealers and to insist on original KNAUS parts in order to ensure your safety and to ensure that the type approval of your vehicle is not put in jeopardy.

Any retrofitting of alterations or installations, in so far as they are technically feasible, shall incur a cost. Certain combinations of custom requests may be impossible in certain cases. We reserve the right to make changes to construction, colour and fittings in so far as these provide a technical advance, are reasonable and/or serve the purpose of safety.

Information on the product delivered, dimensions, mass and appearance, correspond to our understanding at the time of printing (01/2023). We reserve the right to make changes to fittings, technical data, series equipment and prices. Please make every effort to be fully informed about these matters by your authorised KNAUS dealer before making your purchase.

After a contract has been concluded, we reserve the right to make technical changes within the framework of the construction insofar as they serve technical progress and are acceptable for the customer.

Minor colour and texture deviations are also reserved - even after conclusion of the contract - insofar as these cannot be avoided due to the material structure (e.g. colour deviations of up to approx. 2.0 dE between paint on sheet metal and paint on GRP/plastic) and are reasonable for the customer

Some of the illustrations show equipment features that are not included in the standard equipment and that can be ordered for an additional charge (optional equipment) as well as some equipment features of prototypes/studies that do not correspond to the standard equipment and therefore cannot be ordered as optional equipment. Slight colour deviations of the illustrations in the brochure from the actual vehicle cannot be completely excluded for printing reasons.

Therefore, before purchasing a vehicle, please seek comprehensive advice on the current status of the series from an authorised KNAUS dealer. The decoration shown in the catalogue is not part of the equipment supplied.

**Important technical and legal information regarding vehicle configuration and weight-related data**

Every vehicle is only road-legal up to a specified maximum weight. This maximum weight must not be exceeded when driving. For this reason, the technical and legal requirements regarding the weight of your vehicle must be given special consideration when selecting additional equipment (“packages”, “equipment features” and “options”) from our factory range when configuring your vehicle.

The legal requirements with regard to the weight of your vehicle are set out in Commission Implementing Regulation (EU) 2021/535 of 31 March 2021 (before 06/2022: Commission Regulation (EU) No. 1230/2012 of 12 December 2012). In order to inform you as transparently and comprehensively as possible about the weight-related information listed in our sales documents, the following explanations and notes from Knaus Tabbert AG are based on the requirements set out in this Regulation. Please read the following explanations and notes on the weight-related information listed in our sales documents carefully before configuring and ordering your vehicle. Our authorised dealers will also be happy to assist you with the selection and configuration of your vehicle.

**I. TERMINOLOGY**

**1. Maximum gross vehicle mass in kg**

The “maximum gross vehicle mass” is entered in Part I of the registration certificate and refers to the maximum permissible laden mass of your vehicle, as specified by the manufacturer (e.g. 3,500 kg). This must not be exceeded while driving. Exceeding the maximum gross vehicle mass is punishable by fines in many European countries. In Germany, exceeding the maximum gross vehicle mass while driving may constitute an administrative offence and be punishable by a fine. We therefore recommend that you weigh your vehicle before each journey and check that your vehicle does not exceed the maximum gross vehicle mass. Compliance with the maximum gross vehicle mass is your responsibility.

The maximum gross vehicle mass is shown for each layout in our price lists.

**Example:**

Technical specifications	550 MF	650 MEG
<b>BASE VEHICLE</b>		
FIAT Ducato 3.500 kg <sup>***</sup> ; 2.2 l 140 Multijet; front-wheel drive; Euro 6d-Final (103 kW / 140 HP); 6-speed manual gearbox (Dependency: ABH18977)	5	5
<b>BASIC EQUIPMENT</b>		
Total length (cm)	599	696
Width (outside) (cm)	220	220
Width (inside) (cm)	205	205
Height (outside) (cm)	276	276
Height (inside) (cm)	196	196
Mass in running order (basic model without optional equipment but with basic equipment) (kg) (Note: H140)	2.785 (2.646 - 2.924)	2.955 (2.807 - 3.103)
Technically maximum authorised laden mass (kg) <sup>***</sup>	3.500	3.500
Maximum payload (kg)	390	210
Towing load (kg) (Note: H722)	2.000	2.000
Wheelbase (cm)	345	380
Number of persons allowed in driving operation	4	4
Beds (Note: H141)	4	5
Max. number of beds (Note: H142)	4	5
Automatic three-point belts	2	2
Max. belt-secured seats	4	4



**2. Vehicle mass in running order**

The “mass in running order” means the mass of the vehicle including the body structure and standard factory equipment (“basic equipment” or “standard equipment”) including the fuel tank filled to 90% of its capacity as well as operating materials such as lubricants, oils and coolants, tools and tyre puncture assistance plus the mass of the driver, which is calculated as a fixed weight of 75 kg by law.

The mass in running order is shown for each layout in our price lists.

**Example:**

Technical specifications	550 MF	650 MEG
<b>BASE VEHICLE</b>		
FIAT Ducato 3.500 kg <sup>***</sup> ; 2.2 l 140 Multijet; front-wheel drive; Euro 6d-Final (103 kW / 140 HP); 6-speed manual gearbox (Dependency: ABH18977)	§	§
<b>BASIC EQUIPMENT</b>		
Total length (cm)	599	696
Width (outside) (cm)	220	220
Width (inside) (cm)	205	205
Height (outside) (cm)	276	276
Height (inside) (cm)	196	196
Mass in running order (basic model without optional equipment but with basic equipment) (kg) (Note: H140)	2.785 (2.646 - 2.924)	2.955 (2.807 - 3.103)
Technically maximum authorised laden mass (kg) <sup>***</sup>	3.500	3.500
Maximum payload (kg)	390	210
Towing load (kg) (Note: H722)	2.000	2.000
Wheelbase (cm)	345	380
Number of persons allowed in driving operation	4	4
Beds (Note: H141)	4	5
Max. number of beds (Note: H142)	4	5
Automatic three-point belts	2	2
Max. belt-secured seats	4	4

The following are included in the mass in running order:

- The unladen weight of the vehicle including bodywork, operating fluids such as greases, oils and coolants, tools and tyre puncture repair kit
- The standard factory equipment; i.e. the basic configuration of a vehicle equipped with all the features required by law, including any fitted equipment that does not require further specifications at the configuration or equipment level
- The fresh water tank filled to 100% in driving mode (the capacity of the fresh water tank is limited to 10, 20 or 40 litres depending on the vehicle model in driving mode) and an aluminium gas bottle filled to 100% with a weight of 16 kg
- The fuel tank when 90% full, including the fuel
- The driver, whose weight is calculated as a fixed value of 75 kg.

**Please note that the figures on the mass in running order contained in the sales documents issued by Knaus Tabbert AG are calculated nominal values which are subject to production-related tolerances of up to ± 5%. These legally permissible tolerances may have a direct effect on the actual mass of your vehicle and thus also on the payload or remaining pay-mass. Therefore, you will need to take these tolerances into account when configuring your vehicle.**

**3. Actual vehicle mass**

The “actual vehicle mass” means the mass of the vehicle in running order, plus the mass of any factory-fitted optional equipment on a particular vehicle.

**4. The mass of the driver and the mass of the passengers**

The “driver mass” is calculated as a fixed weight of 75 kg, regardless of the driver’s actual weight. Since the mass of the driver is already included in the mass in running order, it is not included in the authorised passenger mass.

The “passenger mass” is based on the maximum permissible number of vehicle occupants while driving, as specified by the manufacturer and determined during the type-approval procedure, minus the driver mass, which is calculated as a fixed weight of 75 kg.

For each layout, the permissible number of occupants while driving is shown in our price lists. The permissible number of occupants while driving may be reduced due to the installation of additional equipment.

**Example:**

Technical specifications	550 MF	650 MEG
<b>BASE VEHICLE</b>		
FIAT Ducato 3.500 kg <sup>***</sup> ; 2.2 l 140 Multijet; front-wheel drive; Euro 6d-Final (103 kW / 140 HP); 6-speed manual gearbox (Dependency: ABH18977)	§	§
<b>BASIC EQUIPMENT</b>		
Total length (cm)	599	696
Width (outside) (cm)	220	220
Width (inside) (cm)	205	205
Height (outside) (cm)	276	276
Height (inside) (cm)	196	196
Mass in running order (basic model without optional equipment but with basic equipment) (kg) (Note: H140)	2.785 (2.646 - 2.924)	2.955 (2.807 - 3.103)
Technically maximum authorised laden mass (kg) <sup>***</sup>	3.500	3.500
Maximum payload (kg)	390	210
Towing load (kg) (Note: H722)	2.000	2.000
Wheelbase (cm)	345	380
Number of persons allowed in driving operation	4	4
Beds (Note: H141)	4	5
Max. number of beds (Note: H142)	4	5
Automatic three-point belts	2	2
Max. belt-secured seats	4	4

The passenger mass is also calculated as a fixed weight of 75 kg per passenger, regardless of their actual weight. Thus, for a vehicle with a maximum permissible number of occupants while driving of 4, the passenger mass is 225 kg (3\*75 kg).

**5. Standard equipment and additional equipment**

The “standard specification” (“basic equipment” or “standard equipment”) means the basic configuration of a vehicle that is equipped with all the features required by law, including any fitted equipment that does not require further specifications at the level of configuration or equipment.

Details of the standard specification (“basic equipment” or “standard equipment”) for each layout can be found in our price lists.

“Additional equipment” (“packages”, “features” and “options”) means any equipment not included in the standard specification that is factory fitted to the vehicle by the manufacturer and can be ordered by the customer. Additional equipment in this sense does not include other accessories which are installed in the vehicle by you or your dealer after delivery of the vehicle by the manufacturer.

Details of the (equipment) packages, features and options that can be ordered at the factory for each layout can be found in our price lists.

Please note that the installation of additional equipment always results in a reduced pay-mass (see section 6). The maximum mass of additional equipment that can be selected for each layout can be found in the information on the respective vehicle layouts (see section 7).

**Example:**

Technical specifications	550 MF	650 MEG
<b>BASE VEHICLE</b>		
FIAT Ducato 3.500 kg <sup>***</sup> ; 2.2 l 140 Multijet; front-wheel drive; Euro 6d-Final (103 kW / 140 HP); 6-speed manual gearbox (Dependency: ABH18977)	§	§
<b>BASIC EQUIPMENT</b>		
Total length (cm)	599	696
Width (outside) (cm)	220	220
Width (inside) (cm)	205	205
Height (outside) (cm)	276	276
Height (inside) (cm)	196	196
Mass in running order (basic model without optional equipment but with basic equipment) (kg) (Note: H140)	2.785 (2.646 - 2.924)	2.955 (2.807 - 3.103)
Technically maximum authorised laden mass (kg) <sup>***</sup>	3.500	3.500
Maximum payload (kg)	390	210
Towing load (kg) (Note: H722)	2.000	2.000
Wheelbase (cm)	345	380
Number of persons allowed in driving operation	4	4
Beds (Note: H141)	4	5
Max. number of beds (Note: H142)	4	5
Automatic three-point belts	2	2
Max. belt-secured seats	4	4

## 6. The pay-mass and the minimum pay-mass

The "pay-mass" is calculated by subtracting the mass in running order, the passenger mass and the maximum mass of the optional equipment specified by the manufacturer from the maximum gross vehicle mass.

European legislation prescribes a fixed "minimum pay-mass" for motorhomes, which must be observed with regard to luggage and other accessories not installed by the manufacturer. This must be observed when configuring your vehicle and is calculated using the following formula:

Minimum pay-mass in kg  $\geq 10 * (n + L)$

Where "n" is the maximum number of passengers plus the driver and "L" is the overall length of the vehicle in metres.

## 7. Maximum mass of the additional equipment

To ensure compliance with the legally prescribed minimum pay-mass, the "maximum mass of the additional equipment" is specified by the manufacturer for each layout. Therefore, this is the maximum permissible mass of any factory-fitted optional extras ("packages", "features" and "options") in order to ensure compliance with the minimum pay-mass required by law.

Knaus Tabbert AG calculates the maximum mass of the additional equipment by subtracting the mass in running order, the passenger mass and the minimum pay-mass from the maximum gross vehicle mass.

### Example:

3,500 kg Maximum gross vehicle mass  
 - 2,968 kg Mass in running order  
 - 3\*75 kg Passenger mass  
 - 110 kg Minimum pay-mass  
 = 197 kg Maximum mass of additional equipment

## II. TECHNICAL AND LEGAL INFORMATION

### 1. Legally permissible tolerances in the calculation of weight specifications

The masses in running order stated in the price lists are calculated nominal values which are subject to production tolerances of up to  $\pm 5\%$ . These production-related tolerances of up to  $\pm 5\%$  are legally permissible and are due to the use of natural materials, such as wood, and the manufacturing processes used by some suppliers. Weight fluctuations cannot be ruled out due to the materials used, despite optimised production processes. Since these legally permissible tolerances have a direct effect on the actual mass of your vehicle and thus also on the possible load capacity or remaining pay-mass, you must take them into account when configuring your vehicle.

#### Example:

Mass in running order according to the price list: 2,968 kg  
 Legally permissible tolerance of  $\pm 5\%$ : 148 kg  
 Legally permissible mass in running order: 2,820 to 3,116 kg

### 2. Effect of the legally permissible tolerances

If, due to the selection of additional options, the actual mass of the vehicle increases such that, by calculating the difference between the actual vehicle mass and the technically permissible maximum laden mass, there is no longer sufficient load capacity available to travel with the permitted number of passengers and the minimum pay-mass (see below), then (depending on the layout) you have a number of options in the configuration tool. You can select an increase in vehicle load capacity, reduce the permitted number of seats when driving and/or deselect additional fitted equipment. In our configurator, you must select at least one of these options to continue configuring your vehicle. Otherwise, the configuration cannot be continued.

If necessary, check with your Knaus Tabbert AG dealer that the calculated technically permissible maximum laden mass is not exceeded and that there is still sufficient load capacity remaining for passengers and luggage (minimum pay-mass, see below).

Irrespective of whether compliance with the minimum pay-mass is guaranteed, you should observe the legally permissible production-related tolerances for the mass in running order within the scope of the configuration, because these always also affect the possible payloads. You can therefore only order additional equipment with a specific maximum mass for each layout.

Based on the above example, if you order the vehicle with additional equipment with a total weight of 150 kg, the nominal value of the mass in running order shown in the price list results in a pay-mass of 180 kg. However, the actual pay-mass may deviate from this value due to the legally permissible tolerances. If the mass of your vehicle in running order is about 1% higher than the nominal value shown in the price lists, the pay-mass is reduced from 180 kg to 151 kg:

#### Example:

3,500 kg Maximum gross vehicle mass  
 - 2,998 kg Real weight of the vehicle in running order (+1% compared to the weight of 2,968 kg stated in the sales documents)  
 - 3\*75 kg Passenger mass  
 - 150 kg Additional equipment ordered for the specific configured vehicle  
 = 127 kg Remaining pay-mass (important: The remaining load capacity must be greater than the minimum pay-mass, see section 6)

**We therefore recommend that you weigh your laden vehicle before each journey and check that you have not exceeded the maximum gross vehicle mass. This check is your responsibility as the driver of the vehicle.**



 [facebook.knaus.com](https://www.facebook.com/knaus.com)

 [@knaus\\_official](https://www.instagram.com/knaus_official)

 [youtube.knaus.com](https://www.youtube.com/knaus.com)

 [schwalbenblog.knaus.com](https://www.schwalbenblog.knaus.com)

 [shop.knaus.com](https://shop.knaus.com)

All vehicles online  
**knaus.com**